


UBS-Line Sweepers



**Sweeper roller
diameter**
37/45 cm



Working width
100/125/130 cm



Claw coupling
for frictional connection



Stable impellers 135x40 mm



Stepless height
adjustment of the
sweeper roller



Narrow side drive

X Claw coupling
frictional connection
with the 2-wheel-tractor
tractor

X Swivel device

X High-quality powder coating

X Different types of
sweeper rollers for
the right application

X Maintenance-free
storage of the
sweeper roller



Sweepers for 2-wheel-tractors are available in various versions and designs and are matched to Kersten 2-wheel-tractors. All sweepers for the UBS-Line series are mechanically driven, due to this frictional connection the power transmission is very efficient. The height of the sweeper rollers can be adjusted to the millimetre, which means that the sweeper roller is in optimum contact with the ground at all times, resulting in a uniform sweeping result and preventing premature wear. The sweeper is attached via a sturdy quick-change connection, which is dimensioned differently depending on the type of 2-wheel-tractor. A slotted hole in the mandrel allows the sweeper to accommodate horizontal uneven

ground. This ensures an always constant surface. By means of a mechanical swivel device it is possible to turn the sweepers in different stages left and right. All sweepers are equipped with a high-quality powder coating. Practical accessories complete the sweepers:

From the dirt collection tank to rubber spray flaps and parking supports up to a side brush. The sweepers are factory-sided with a combined sweeper roller equipped with which more than 90% of all applications are covered. However, for special operations, e. g. exclusively for sweeping snow, also other sweeper rollers are available.



Attachments
UBS-Line

Use of sweeping roller types

Additional sweeper rollers for different applications possible



- X **combined sweeper (standard)**
for over 90% of all applications



- X **poly wave wire**
for high fixed dirt content, e.g. Moss



- X **dirt sweeper**
Suitable for heavier soiling due to higher bristle content



- X **snow sweeper**
due to a special bristle arrangement with larger inter-space the snow is transported optimally




Practical accessory

- X **Dirt collector box**
The scrapped material is collected in one operation
- X **Ruber spray flaps**
For the reduction of flying dirt particles
- X **Sdebrush**
For detecting dirt also in side areas, e. g. curb gutters etc.
- X **Brkingsupport**
for longer storage in order not to damage the sweeping roller



Sweepers				
Measurements	EFKM 10037	EFKM 12537	EFKM 13045	EFKM 100 DE-MOSS
A: Working width, straight, without side brush [cm]	100	125	130	100
B: Working width, straight, with side brush [cm]	122	147	157	122
Working width, oblique [cm]	89	110	120	89
C: Passage width, straight, without side brush [cm]	108	133	140	108
D: Passage width, straight, with side brush [cm]	120	145	154	120
E: Length incl. dirt collector box, without attachment frame [cm]	94	94	125	94
F: Length without dirt collector box and attachment frame [cm]	63	63	86	63
G: Height, without attachment frame [cm]	54	54	73	54
Sweeper diameter [cm]	37	37	45	37
Swivel angle [degree]	30	30	26	30
Weights [kg]				
Basic sweeper [kg]	52	56	101	52
Dirt collector box [kg]	15	17	-	15
Side brush (kg)	10	10	-	10
Volume				
Dirt collector box [ltr]	60	92	-	60




Attachments
UBS-Line



EFKM Ø 37 cm



EFKM Ø 45 cm



Item number	Description			UBS Hydro 9	UBS Hydro II 13/16	UBS Alpin II	UBS Alpin II Pro
EFKM 10037 M-U 70 Sweeper diameter 37 cm	Sweeper 100 cm working width mechanically driven <ul style="list-style-type: none"> incl. combined sweeper swiveling mechanically left and right oscillating suspension quick release axle 2 height adjustable wheels 135 x 40 mm 			✓	✓		
EFKM 12537 M-U 70 Sweeper diameter 37 cm	Sweeper 125 cm working width hydraulically driven Further information see: EFKM 10037 M-U 70			✓	✓		
EFKM 13045 M-U 70 Sweeper diameter 45 cm	Sweeper 130 cm working width hydraulically driven Further information see: EFKM 10037 M-U 70					✓	✓
EFKM100 DE-MOSS Sweeper diameter 37 cm	Sweeper 100 cm working width hydraulically driven <ul style="list-style-type: none"> incl. 5 row patented nylon brush sweeper Further information see: EFKM 10037 M-U 70			✓	✓		



Accessories



Attachments
UBS-Line





Rubber spray flaps



Dirt collector box



Parking supports

Description	Compatible with sweeper	EFKM 10037 M	EFKM 12537 M	EFKM 13045 M	EFKM100 DE-MOSS
Rubber spray flaps <ul style="list-style-type: none"> incl. attachment parts pluggable mounted 	Item number	GUSPL 100 Splash guards rubber	GUSPL 125 Splash guards rubber	GUSPL 130 Splash guards rubber	GUSPL 100 Splash guards rubber
Dirt collector box <ul style="list-style-type: none"> made of PE plastic 2 PUR swivel castors for exact ground adjustment height adjustable mountings 2 handles rubber sealing lip on top single lever lock 	Item number	SSB 100 K Dirt collection container	SSB 125 K Dirt collection container	-	SSB 100 K Dirt collection container
Parking supports for EFKM Sweeper diameter 32 cm/37 cm/45 cm <ul style="list-style-type: none"> with rollers for easier assembly and dismantling for storage 	Item number	AST 32 LR Parking supports	AST 37 LR Parking supports	AST 45 LR Parking supports	AST 32 LR Parking supports
Side Brush - 40 cm diameter mechanically driven over broom wave <ul style="list-style-type: none"> height and angle adjustable collision protection broom folds to the side 	Item number	ASM 403237 Side broom	ASM 403237 Side broom	ASM 4045 KM Side broom	ASM 403237 Side broom
Side brush - 40 cm diameter hydraulically driven Further information see Art-No. ASM 403237 	Item number	-	-	-	-