

PROFESSIONAL TRACTOR ATTACHMENTS FOR SURFACE MAINTENANCE





Catalogue March 2020

0118 986 9253 - www.kerstenuk.com



Index / Contents

Tractor Attachments for Surface Maintenance

Professional Sweeper for Tractors - Overvie	2
Why Choose Kersten Attachments?	3-4
Linkage for Ride-on Mower FKDR-HYDR	5-6
Front Mounted Sweepers FKDR 37 series Front Mounted WeedBrush FKDR WKB series Front Mounted Blower FKDR LBV Rear Mounted Gritter Spreader FKDR SLDST series Front Mounted Snow Plough SCHN FKDR series	7-8 27-28 33-34 39-40
Kersten Mounted Sweeper FKDR 37 series	7-8
Rear Mounted Sweepers for Tractor HKM 40 series Front Mounted Sweeper for Tractor KM 45 series Front Mounted Sweepers for Tractor KM 50 series Front Mounted Sweepers for Tractor KM 52 series	9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30
Front Mounted Blower for Ride-on Mower FKDR series Front and Rear Mounted Leaf Blowers LBV series Tractor Mounted Gravel Path Renovators WE series Professional Mounted Spreader FKDR SLDST series Manual Snow Plough for Ride-on Mower FK-PAK series Front Mounted Snow Plough SCHN FKDR series Mounted Snow Ploughs FK-ABR series HOAF Professional ThermHIT TWB series HOAF Professional WeedAIR HFWA series	35-36 37-38 39-40 41-42 43-44 45-46 47-48

Important Notice.

The graphics alongside the descriptions in this price list are an approximate representation of the product and not the product itself. Error and omissions excepted. All prices are subject to VAT.

Kersten (UK) Ltd reserve the right to change prices and specification at any time



Professional Sweeper for Tractors





Why choose a Kersten sweeper?

Detritus build up is one of the largest causes of weeds on hard surfaces. Sweeping this detritus is our first line of defence against weeds.

Kersten sweepers have been specifically designed to remove soil and heavy debris on hard surfaces. This is achieved by several very important design features that are not typically found on other sweepers.

The brush – We use 5 spiral rows of bristles on our roller brush. The gaps between the rows provide space for movement of larger volumes of heavy debris. The spiral pattern allows pressure to be applied across a narrow section of the brush rather than the full width. Less power is required to move heavy material at this point, than across the whole brush at once, so the brush can tackle much heavier material than other brushes.

Height adjustment – The pressure of the brush can be finely adjusted on the rear castors, which prevents unnecessary brush wear and allows the brush to maximise performance on a range of surfaces. The two castors also allow the brush to follow contours closely to keep as much contact with the ground as possible.

Angling – The brushes can be angled to sweep forward, left or right. This allows material to be collected or wind-rowed





Our sweepers can be fitted with a range of accessories for making the job even easier;

Collector boxes – A height adjustable container can be fitted to the sweeper in order to collect material that has been swept. The box is sized so that it can be handled by one operator and is perfect for the collection of heavy debris such as soil, moss and sand.

Gully brush – A side brush can be fitted for presenting gullies. The brush pulls material out from the edges into the path of the main brush, so it can be collected. This really makes an impact on a site and draws the eye to the crisp clean edges.

Brush guard – A brush guard can be fitted to our sweepers instead of the collecting box. This prevents dust and debris being flicked into the air by the brush. Instead the material is contained close to the brush. This is extremely useful when trying to wind-row material.



SITE MAINTENANCE EQUIPMENT

Front Linkage for Ride-on Mowers

Linkages - Ride-on Mowers page 5-6

Sweepers for ride-on mowers page 7-8

WeedBrush for ride-on mowers page 27-28 Blower for ride-on

page 33-34

Spreader FKDR page 39-40

Snow Ploughs FKDR page 43-44

• FKDR-HYDR front linkage for ride-on mowers


Front linkage kit for ride-on mowers. Hydraulic lift and lower. Hydraulic angling left and right. All actions from operators seat. Quick–Attach-A implement hitch. Auxiliary hydraulic service to operate Kersten sweeper lift/lower including hydraulic pump, tank and variable flow control valve.

FKDR-Hydr Front Linage Kits are available for:

Kubota GR1600, GR1600-11 GR2100, GR2120, GR2120 S

John Deere X300 series, X500 series

Iseki SXG216





Front Linkage for Ride-on Mowers



PART No. / DESCRIPTION	PRICE
 Brackets and Linkages - Linkage FKDR/HYDR Front Linkage kit with hydraulic operation and drive Hydraulic lift and lower Hydraulic angling left and right Hydraulic tank with control valves and 1/2" hydraulic couplings (1 double acting valve +1 double acting with floating position and motor drive with variable speed control) Supplied with male quick attachment "A" frame to suit Kersten FKDR sweepers, snow ploughs, WeedBrush, wide area brush, Hoaf weed burners and spreaders. 	1950.00
Kersten FKDR-HYDR Front linkage kits are currently available for the following ride-on mowers; FKDR-HYDR-KUGR1600 - Kubota GR1600, GR1600 -11 FKDR-HYDR-KUGR2120 - Kubota GR2100, GR2120, GR2120 S FKDR-HYDR-JDX300 - John Deere X300 series FKDR-HYDR-JDX500 - John Deere X500 series FKDR-HYDR-ISSXG216 - Iseki SXG 216	





Front Mounted Sweeper for Ride on Mowers

Front Mounted Sweepers FKDR for Ride on Mower

Sweepers FKDR 37 series for ride-on mowers page 7 16-26hp

> Sweepers HKM 40 series page 9 12-40hp

> Sweepers KM 45 series page 11 22-40hp

Sweepers KM 50 series page 13 25-50hp

Sweepers KM 52 series page 15 25-50hp

Sweepers KM 60 series page 17 100-150hp

Sweepers FKM 60L series page 19 50-70hp

Sweepers FKM 60 series page 21 70-130hp

Sweepers KM 70 series page 23 80-250hp

FKDR-Hydr Front Linage Kits are available for:

Kubota GR1600, GR1600-11 GR2100, GR2120, GR2120 S

John Deere X300 series, X500 series

Iseki SXG216

Accessories

1. Front brush guard

- 2.Collector box
- **3**.Garage Stands

4 .Gully brush- 40cm Ø

(FKDR/HYDR Front linkage kit required see page 4-5)

- KM 10037H-FKDR with 100cm
- KM 11537H-FKDR with 115cm
- KM 12537H-FKDR with 125cm



FKDR-HYDR



Attachment



- FKDR 37 series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Linkage FKDR/HYDR Front linkage kit for ride-on mowers. Hydraulic lift and lower. Hydraulic angling left and right. All actions from operators seat. Quick–Attach-A implement hitch. Auxiliary hydraulic service to operate Kersten sweeper lift/lower including hydraulic pump, tank and variable flow control valve.	1950.00
Attachments KM 10037H-FKDR Front Mounted Sweeper 100cm KM 11537H-FKDR Front Mounted Sweeper 115cm KM 12537H-FKDR Front Mounted Sweeper 125cm	1950.00 2150.00 2250.00
Accessories GUSPL 100 Front Brush Guard 100cm GUSPL 115 Front Brush Guard 115cm GUSPL 125 Front Brush Guard 125cm SSB 100 Collector Box and Brackets SSB 115 Collector Box and Brackets SSB 125 Collector Box and Brackets AST37LR Garage stands ASM 403237 Side Gulley Brush 40cm Ø, Belt drive ASH 403237 Side Gulley Brush 40cm Ø, Hydraulic drive	185.00 195.00 215.00 625.00 650.00 675.00 170.00 650.00 995.00
Consumables 100 510 037 Replacement five row poly combi-brush for 100cm, 37cm Ø 115 510 037 Replacement five row poly combi-brush for 115cm, 37cm Ø 125 510 037 Replacement five row poly combi-brush for 125cm, 37cm Ø 105 425 400 Replacement gulley brush 40cm Ø	305.00 325.00 345.00 95.00





Rear Mounted Sweeper for Tractor

Rear Mounted Sweepers HKM 40 series for tractors with rear CAT 1 three point linkage 12-40hp



Suitable for most compact and sub compact tractors with Cat 0 or Cat 1 Linkange

Front Mounted Sweeper:

- Includes garage stands
- Folded steel frame construction
- Brush diameter 40cm
- 2 support wheels 200x50cm with individual lever height adjustment
- · Mechanical angling left and right
- Supplied with 2 section. 5 row Combi brush
- Supplied with Cat 1 3 point linkage mounting frame

Accessories

- 1. Brush quard
- 2. Collector box
- 3. Garage Stands
- 4. Gully brush -Hydraulic - 50cm Ø

HYDRAULIC DRIVE (recommended flow rate is 20L/min.)

- HKM 12540 H with 125cm
- HKM 15040 H with 150cm

MECHANICAL DRIVE PTO

- HKM 12540 M with 125cm
- HKM 15040 M with 150cm






- HKM 40 series



PART No. / DESCRIPTION	PRICE
Attachments HKM 12540 H Rear mounted Sweeper 125cm - Hydraulic Drive HKM 15040 H Rear mounted Sweeper 150cm - Hydraulic Drive HKM 12540 M Rear mounted Sweeper 125cm - Mechanical Drive PTO	2950.00 3250.00 2650.00
HKM 15040 M Rear mounted Sweeper 150cm - Mechanical Drive PTO	2850.00
Accessories MP-MR-ST Flow Control Vave for HKM 40 series Sweepers suitable for HKM 40 sweepers with hydraulic drive only.	295.00
HB-SSB-HFKM Hydraulic emptying for collector box Reqires double acting spool valve to operate.	625.00
HSZ-180 Hydraulic angling to left and right - Requires hydraulic service D/A.	450.00
SPA 125 Front brush guard - 125 to control debris discharge for sweeper without collector.	140.00 160.00
SPA 150 Front brush guard - 150 to control debris discharge for sweeper without collector.	100.00
SSB 12540 Collector Box 125cm for HKM 40 series sweepers, manual by rope mechanism. Made from steel. Requires part SPA 125.	595.00
SSB 15040 Collector Box 150cm for HKM 40 series sweepers, manual by rope mechanism. Made from steel. Requires part SPA 150.	625.00
ASH 5040 M 50cm Side gulley brush for HKM 40 -M series sweepers with PTO drive. This gulley brush is hydraulic drive and requires a hydraulic service to operate. Includes adjustable speed control.	1395.00
ASH 5040 H 50cm Side gulley brush for HKM 40 series sweepers. Hydraulic drive. Includes adjustable speed control.	1295.00
Consumables 125 010 040 Replacement Combi-brush 125cm, 40cm Ø 150 010 040 Replacement Combi-brush 150cm, 40cm Ø 105 750 500 Replacement gulley brush 50cm Ø	355.00 395.00 119.00





Front Mounted Sweeper:

- Includes garage stands
- Folded steel frame construction
- Brush diameter 45cm
- 2 support wheels 135x40cm with individual lever height adjustment
- · Mechanical angling left and right
- Supplied with 2 section, 5 row Combi brush
- Mounting Bracket ABR45
 is Required

<image>

- KM 45 series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages ABR 45 US- Bracket for John Deere quick-tach front Linkage on X series and 1024 ABR 45 KUB-B 1220 Bracket for Kersten FKHB front linkage A frame on Kubota B1220 ABR 45 KUB-G 2326 Bracket for Kersten FKHB front linkage A frame on Kubota G23-G26 ABR 45 KD- Bracket for CAT 1 front linkage A frames. Full details of tractor and front linkage fitted are required. ABR 45 DP- Bracket for CAT 1 front linkage A frames. Full details of tractor and front linkage fitted are required. ABR 45 FM- Bracket for Front Mowers eg. Kubota F3890 will be ABR 45 FM KUB-F3890 John Deere F1565 will be ABR 45 FM JD-F1565	450.00 450.00 450.00 550.00 550.00 650.00
Attachments KM 11545 H-ABR 45 Mounted Sweeper 115cm - Hydraulic Drive KM 13045 H-ABR 45 Mounted Sweeper 130cm - Hydraulic Drive KM 15045 H-ABR 45 Mounted Sweeper 150cm - Hydraulic Drive KM 16545 H-ABR 45 Mounted Sweeper 165cm - Hydraulic Drive	2400.00 2650.00 2950.00 3100.00
KM 11545 M-ABR 45 Mounted Sweeper 115cm - Mechanical Drive PTO KM 13045 M-ABR 45 Mounted Sweeper 130cm - Mechanical Drive PTO KM 15045 M-ABR 45 Mounted Sweeper 150cm - Mechanical Drive PTO KM 16545 M-ABR 45 Mounted Sweeper 165cm - Mechanical Drive PTO	2400.00 2650.00 2950.00 3100.00
Accessories HSZ-180 Hydraulic angling to left and right- Requires hydraulic service D/A GUSPL 11545 Front brush guard. 115cm to control deblis discharge for sweepers without collector.	450.00 180.00 200.00
GUSPL 13045 Front brush guard 130cm to control deblis discharge for sweepers without collector. GUSPL 15045 Front brush guard 150cm to control deblis discharge for sweepers without collector.	220.00
GUSPL 16545 Front brush guard 165cm to control deblis discharge for sweepers without collector. SSB 11545 K Collector Box 115cm for KM45 Series Sweepers, Includes hydraulic emptying Made from Plastc, Includes two running caster wheels. SCB 2045 K of the table of table	240.00 995.00
SSB 13045 K Collector Box 130cm for KM45 Series Sweepers, Includes hydraulic emptying Made from Plastc, Includes two running caster wheels. SSB 15045 K Collector Box 150cm for KM45 Series Sweepers, Includes hydraulic emptying Made from Plastc, Includes two running caster wheels.	1095.00 1095.00
SSB 16545 K 165cm Collector is not available for KM 45 Series Sweepers. ASM 4045 KM Side Gulley Brush 40cm for KM 45 series sweepers. Mechanical belt drive. ASH 4045 KM Side Gulley Brush 40cm for KM 45 series sweepers.	- 750.00 1195.00
Hydraulic drive. EMV Electric remote control solenoid valves. WAS 100 AUF Water Dust Suppression Kit -100litre. WAS 200 KAT 1 Water Dust Suppression Kit -200litre. MP-MR-ST Flow Control Valve. BG-LEUCHTEN Side marker lights. WA-FLAG Side warning flags.	495.00 1050.00 1395.00 295.00 275.00 195.00
Consumables 115 510 045 Replacement brush 115cm, 45cm Ø 130 510 045 Replacement brush 130cm, 45cm Ø 150 510 045 Replacement brush 150cm, 45cm Ø	335.00 380.00 475.00



Front Mounted Sweepers for Tractor and Mower

Front Mounted Sweepers

for upfront mowers and tractor with front linkage 25-50hp

Sweepers FKDR 37 series page 7 16-26hp Sweepers HKM 40 series 12-40hp page 9 Sweepers KM 45 series page 11 22-40hp Front Mounted SweepersKM 50 series for Tractors page 13 25-50 25-50hp Sweepers KM 52 series 25-50hp page 15 Sweepers KM 60 series page 17 100-150hp Sweepers FKM 60L series page 19 50-70hp Sweepers FKM 60 series page 21 70-130hp Sweepers KM 70 series page 23 80-250hp

Front Mounted Sweeper:

- Includes garage stands
- Folded steel frame construction
- Brush diameter 50cm
- 2 support wheels 200x50cm with individual lever height adjustment
- Hydraulic angling left and right
- requires 1 double acting service
- Supplied with 2 section, 5 row Combi brush
- Mounting Bracket ABR50
 is Required

HYDRAULIC DRIVE

(recommended flow rate is 40L/min.)

- KM 13050 H with 130cm
- KM 14750 H with 147cm
- KM 16550 H with 165cm

MECHANICAL DRIVE PTO

- KM 13050 M with 130cm
- KM 14750 M with 147cm
- KM 16550 M with 165cm





- KM 50 series




PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets	
ABR 50 KD Bracket for CAT 1 front linkage A frames. Full details of tractor and front	600.00
linkage fitted are required.	<u></u>
ABR 50 DP Bracket for tractors with CAT 1 and CAT 2 front linkages without A frames. Full details of tractor and front linkage fitted are required.	600.00
ABR 50 FM Bracket for Front Mowers	750.00
eg. Kubota F3890 will be ABR 50 FM KUB-F3890 John Deere F1565 will be ABR 50 FM JD-F1565	
Attachments (Requires ABR Bracket above)	
KM 13050 H-ABR 50 Rear mounted Sweeper 130cm - Hydraulic Drive	4200.00
KM 14750 H-ABR 50 Rear mounted Sweeper 147cm - Hydraulic Drive	4400.00
KM 16550 H-ABR 50 Rear mounted Sweeper 165cm - Hydraulic Drive	4600.00
KM 13050 M-ABR 50 Rear mounted Sweeper 130cm - Mechanical Drive PTO	4200.00
KM 14745 M-ABR 50 Rear mounted Sweeper 147cm - Mechanical Drive PTO KM 16550 M-ABR 50 Rear mounted Sweeper 165cm - Mechanical Drive PTO	4400.00 4600.00
· · · · · · · · · · · · · · · · · · ·	+000.00
Accessories	110.00
MP-RD 180 X 80 Heavy duty height adjustment wheels in lieu of standard.	110.00 295.00
AST 4050 LR Garage Jack Stands. To enable easy movement when the sweeper is detached from tractor. Includes castor wheels.	295.00
SSB 13050 B Collector Box 130cm for KM 50 Series Sweepers, Includes hydraulic	1100.00
emptying. Made from steel.	
SSB 14750 B Collector Box 147cm for KM 50 Series Sweepers, Includes hydraulic	1200.00
emptying. Made from steel. SSB 16550 B Collector Box 165cm for KM 50 Series Sweepers, Includes hydraulic	1300.00
emptying Made from steel.	1300.00
ASH 50 KM 4050 M Side Gulley Brush 50cm for KM 50 Mechanical PTO series sweepers	1295.00
only. This gulley brush includes an hydraulic pump and oil reservoir driven from the input gearbox.	
Gulley Brush with variable speed, hydraulic drive, spring loaded collitision protection, storage posi- tion and keystone adjustment.	
ASH 50 KM 4050 H Side Gulley Brush 50cm for KM 50 Hydraulic or Mechanical PTO	1195.00
series sweepers. This gulley brush is driven from the power unit hydraulic services (requires a	
hydraulic oil supply). Gulley Brush with variable speed, hydraulic drive, spring loaded collision pro- tection, storage position and keystone adjustment.	
EMV Electric remote control solenoid valves - Cab mounted control	495.00
only 1 double acting service required with detent, provides 2 hydraulic functions from one	
service, Functions: angling and sweeper drive	4050.00
WAS 100 AUF Water Dust Suppression Kit -100litre for KM 50 and KM 45 Series Sweeper 12v Electric submersible pump, Spray nozzels and bar, Water container mounted	1050.00
on sweeper. 12v service plug required on vehicle.	
WAS 100 KAT1 Water Dust Suppression Kit -100litre for KM 50 and KM 45 Series	1250.00
Sweeper 12v Electric submersible pump, Spray nozzels and bar, Water container mounted	
on tractor rear 3 point linkages. 12v service plug required on vehicle. WAS 200 KAT1 Water Dust Suppression Kit -200litre for KM 50 and KM 45 Series	1395.00
Sweeper 12v Electric submersible pump, Spray nozzels and bar, Water container mounted	
on tractor rear 3 point linkages. 12v service plug required on vehicle.	
BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width	275.00
WA-FLAG Side warning flags - to indicate sweeper width	195.00



Front and Rear Mounted Sweeper for Tractor

Mounted Sweepers KM 52 series for tractor with linkage 30-80hp or front loaders



Front Mounted Sweeper:

- Hydraulic Drive
- · Inboard hydraulic motor with self adjusting duplex chain to brush
- Substantial steel folded frame construction
- Brush diameter 52cm
- 2 heavy duty support wheels 200x50cm with single lever height adjustment
- Angling left and right on 300mm bearing
- 3 function hydraulic valve block for sweeping with collecing conitainer open or closed
- Including jack stands to support the sweeper when not connected to power unit
- Supplied with 2 section, 5 row Combi brush
- Requires ABR Mounting Bracket

HYDRAULIC DRIVE (recommended flow rate is 35L/min.)

- KM 12552 H with 125cm
- KM 15052 H with 150cm
- KM 19052 H with 190cm
- KM 22552 H with 225cm



- KM 52 series



PART No. / DESCRIPTION	PRICE
Brackets and Linkag ABR 52 HECK Bracket for Tractor REAR 3 point linkage with CAT 1 and Cat 2 link ABR 52 FRONT Bracket for Tractor FRONT 3 point linkage with CAT 1 or CAT 2 link ABR 52 KD Bracket for Tractor FRONT inkage with quick attach "A" frame ABR 52 GS-HA Bracket mounting frame with height adjustment for Forklift tines Requires a wheel kit to support the sweeper. Use either LR-SSB-KM or MP-LR-ABR 52 KPL ABR 52 GS Bracket for Pallet tine pockets with floating mount for forklift trucks and loaders with pallet forks ABR 52 HT Mounting Frame with floating mount for forkloaders and compact loaders up to 30hp. Specify model of required ABR 52 KUB Mounting Frame with floating mount for KUBOTA bracket front loaders and compact loaders over 30hp. Specify model of required ABR 52 JD Mounting Frame with floating mount for JOHN DEERE bracket front loaders and compact loaders over 30hp. Specify model of required	550.00 550.00 525.00 1100.00 825.00 1295.00 1295.00 1295.00
Attachments Mounted Sweeper 125cm - Hydraulic Drive KM 12552 H Mounted Sweeper 150cm - Hydraulic Drive KM 19052 H Mounted Sweeper 190cm - Hydraulic Drive KM 22552 H Mounted Sweeper 225cm - Hydraulic Drive	2195.00 2295.00 2395.00 2495.00
Accessories HSZ-180 Hydraulic angling to left and right- Requires hydraulic service Dauble angling SPL 12552 Front brush guard 125cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted SPL 15052 Front brush guard 150cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted SPL 19052 Front brush guard 10cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted SPL 22552 Front brush guard 225cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted SPL 22552 Collector box -125cm. Plug and operate. Height adjustable with hydraulic emptying (does not require extra hydraulic services.) Collector is not retrofittable. SSB 15052 Collector box -150cm See SSB 12552 above for more details. SSB 19052 Collector box -225cm See SSB 12552 above for more details. SSB 22552 Collector box -225cm See SSB 12552 above for more details. SSB 22552 Collector box -225cm See SSB 12552 above for more details. LR-SSB-KM 52 Guide wheels for collector - Can be added to collector box when operating on uneven surfaces ASH 7060 L Left Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and mounting plate MP-LR-ABR 52 KPL Transport frame with adjustable height wheel Slots in to ABR when sweeper is removed from tractor for easy transport WAS 100 KM 52 Water tank kit mounted on sweeper 100litres c/w nozzle rail and 12v water pump WAS 200 KM 52 Water tank kit mounted on sweeper 200litres c/w nozzle rail and 12v water pump	495.00 240.00 295.00 325.00 395.00 950.00 995.00 1095.00 1195.00 295.00 1295.00 1295.00 450.00 1195.00 1395.00



Rear Mounted Sweeper for Tractor

Rear Mounted Sweepers for tractor with linkage 60 -150hp





Sweepers FKDR 37 series . page 7 16-26hp Sweepers HKM 40 series 12-40hp page 9 Sweepers KM 45 series page 11 22-40hp Sweepers KM 50 series page 13 25-50hp Sweepers KM 52 series page 15 25-50hp Mounted Sweepers KM 60 series for Tractors page 17 100-150hp Sweepers FKM 60L series page 19 50-70hp Sweepers FKM 60 series page 21 70-130hp Sweepers KM 70 series page 23 80-250hp

Front Mounted Sweeper:

- Hydraulic Drive
- Inboard hydraulic motor with self adjusting duplex chain to brush
- Substantial steel folded frame construction
- Brush diameter 60cm

• 2 heavy duty support wheels 200x80cm with single lever height adjustment

Angling left and right on 400mm bearing

• 3 function hydraulic valve block for sweeping with collecting con-tainer open or closed

 Including jack stands to support the sweeper when not connected to power unit

 Supplied with 2 section, 5 row Combi brush

Requires ABR Mounting Bracket

- KM 60 series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets	
ABR 60 HECK Bracket for Tractor REAR 3 point linkage with CAT 1 and Cat 2 link arms	795.00
Attachments (ABR Bracket Required)	
KM 25060 H Mounted Sweeper 250cm Width - Hydraulic Drive	4995.00
KM 27060 H Mounted Sweeper 270cm Width - Hydraulic Drive	5250.00
Accessories	
HSZ-180 KM 60 Hydraulic angling to left and right- Requires hydraulic service Dauble angling	725.00
SPL 25060 Front brush guard 250cm.	450.00
Suitable to reduce spray from the front of the sweeper used when collector is not fitted SPL 27060 Front brush guard 270cm.	520.00
Suitable to reduce spray from the front of the sweeper used when collector is not fitted	020.00
SSB 25060 Collector box - 250cm.	1595.00
Plug and operate. Height adjustable with hydraulic emptying (does not require extra hydraulic services.)	
SSB 27060 Collector box - 270cm - See SSB 25060 above for more details	1750.00
ASH 7060 L Left Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and mounting plate	1395.00
ASH 7060 R Right Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring load- ed collision protection, storage position and mounting plate	1395.00
WAS 100 KM 60 Water tank kit mounted on sweeper - 100litres c/w nozzle rail and 12v	1250.00
water pump WAS 200 KM 60 Water tank kit mounted on sweeper - 200litres c/w nozzle rail and 12v	1595.00
water pump	
Consumables	
250 010 060 Replacement brush 250cm, 60cm Ø	920.00
270 010 060 Replacement brush 270cm, 60cm Ø	750.00






Front Mounted Sweeper for Tractor & Loaders

Front Mounted Sweepers FKM 60L series

for compact loaders and tractor with front linkage 50-70hp



Front Mounted Sweepers FKM 60L series

page 19 50-70hp

Sweepers FKM 60 series page 21 70-130hp

Sweepers KM 70 series page 23 80-250hp

Front Mounted Sweeper:

- Inboard hydraulic motor with self adjusting duplex chain to brush
- Substantial steel folded frame construction

Brush diameter 60cm

 2 heavy duty support wheels 300x100cm with single lever height adjustment

Angling left and right on 400mm bearing

• Multi function hydraulic valve block with flow control valve, relief valve, overrun protection and auto collector opening.

• Split side panel to allow easy access to change brush

• Integrated side accessories brackets (left and right)

• Paint RAL 2011 (Orange)

• Prepared for optional KM Control system

• Supplied with 2 section, 5 row Combi brush

Requires ABR Mounting Bracket

HYDRAULIC DRIVE (recommended flow rate is 50L/min.)

• FKM 13060L H with 130cm • FKM 15060L H with 150cm

MECHANICAL DRIVE PTO

- FKM 13060L M with 130cm
- FKM 15060L M with 150cm





- FKM 60L series



FICEIIST 2020	
PART No. / DESCRIPTION	PRICE
Brackets and Linkages ABR 60 KD Bracket for Tractor front linkage with quick attach "A" frame ABR 60 FRONT Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms ABR 60 EURO- Bracket with floating mount to suit loaders with EURO Style Quick Hitch ABR 60 TELE- Bracket with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch ABR 60 GS Bracket with Pallet tine pockets and floating mount for forklift trucks and loaders with pallet forks ABR 60 UNIMOG Front mounting for Unimog or other road vehicle over 7500Kg - DIN - en (DIN Plate) This linkage includes implement lift and lower device. (requires suitable hydraulic service) ABR 60 TELE-DP Bracket Combination with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch and Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms.	750.00 750.00 1400.00 1400.00 1100.00 3200.00 1950.00
Attachments FKM 13060L H Front mounted Sweeper 130cm - Hydraulic Drive FKM 15060L H Front mounted Sweeper 150cm - Hydraulic Drive FKM 13060L M Front mounted Sweeper 130cm - Mechanical Drive PTO	3895.00 3950.00 3895.00
FKM 15060L M Front mounted Sweeper 150cm - Mechanical Drive PTO	3950.00
Accessories HSZ-180 KM 60 Hydraulic angling to left and right- Requires hydraulic service Dauble angling EMV-KM 60 Electric remote control solenoid valves - Cab mounted control Only 1 double acting service required with detent, provides 2 hydraulic functions from one service, Functions: angling and sweeper drive KM-CONTROL - Automatic brush height control system	695.00 695.00 1950.00
SSBF 13060L Collector Box 130cm - Fully floating, parallel system with gauge wheels-250x85mm and hydraulic emptying SSBF 15060L Collector Box 150cm - Fully floating, parallel system with gauge wheels-250x85mm and hydraulic emptying	1320.00 1390.00
ASH 7060 L Left Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protecon, storage position and keystone adjustment ASH 7060 R Right Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protecon, storage position and keystone adjustment	1350.00 1350.00
BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width WA-FLAG Side warning flags - to indicate sweeper width	275.00 195.00
 WAS 100 KM 60 Water tank kit mounted on sweeper - 100 litres c/w nozzle rail and 12v water pump WAS 200 KM 60 Water tank kit mounted on sweeper - 200 litres c/w nozzle rail and 12v water pump 	1195.00 1595.00



Front Mounted Sweeper for Tractors & Loaders

Front Mounted Sweepers FKM 60 series

for tractor with front linkage 70-130hp

Sweepers FKDR 37 series page 7 16-26hp Sweepers HKM 40 series page 9 12-40hp Sweepers KM 45 series page 11 22-40hp

Sweepers KM 50 series page 13 25-50hp

Sweepers KM 52 series page 15 25-50hp

Sweepers KM 60 series page 17 100-150hp

Sweepers FKM 60L series page 19 50-70hp

Front Mounted Sweepers FKM 60 series for Tractors page 21 70-130hp

> Sweepers KM 70 series page 23 80-250hp

Front Mounted Sweeper:

• Inboard hydraulic motor with self adjusting duplex chain to brush

Substantial steel folded frame construction

Brush diameter 60cm

 2 heavy duty support wheels 300x100cm with single lever height adjustment

Angling left and right on 400mm bearing

 Multi function hydraulic valve block with flow control valve, relief valve, overrun protection and auto collector opening.

• Split side panel to allow easy access to change brush

• Integrated side accessories brackets (left and right)

• Paint RAL 2011 (Orange)

• Prepared for optional KM Control system

• Supplied with 2 section, 5 row Combi brush

Requires ABR 60 Bracket to attach to tractor

HYDRAULIC DRIVE

(recommended flow rate is 50L/min.)

- FKM 16560 H with 150cm
- FKM 19060 H with 190cm
- FKM 22560 H with 225cm
- FKM 25060 H with 250cm

MECHANICAL DRIVE PTO

- FKM 16560 M with 150cm
- FKM 19060 M with 190cm
- FKM 22560 M with 225cm
- FKM 25060 M with 250cm



- FKM 60 series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets ABR 60 KD Bracket for Tractor front linkage with quick attach "A" frame ABR 60 FRONT Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms ABR 60 EURO- Bracket with floating Mount to suit loaders with EURO Style Quick Hitch ABR 60 TELE- Bracket with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch ABR 60 GS Bracket with Pallet tine pockets and floating mount for forklift trucks and loaders with pallet forks ABR 60 UNIMOG Front mounting for Unimog or other road vehicle over 7500Kg - DIN - en (DIN Plate) This linkage includes implement lift and lower device. (requires suitable hydraulic service) ABR 60 TELE-DP Bracket Combination with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch and Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms	750.00 750.00 1400.00 1400.00 1100.00 3200.00 1950.00
Attachments (Requires ABR Bracket Above) FKM 16560 H Front mounted Sweeper 165cm - Hydraulic Drive FKM 19060 H Front mounted Sweeper 190cm - Hydraulic Drive FKM 22560 H Front mounted Sweeper 225cm - Hydraulic Drive FKM 16560 M Front mounted Sweeper 250cm - Hydraulic Drive FKM 16560 M Front mounted Sweeper 165cm - Mechanical Drive PTO FKM 19060 M Front mounted Sweeper 190cm - Mechanical Drive PTO FKM 22560 M Front mounted Sweeper 250cm - Mechanical Drive PTO FKM 25060 M Front mounted Sweeper 250cm - Mechanical Drive PTO FKM 25060 M Front mounted Sweeper 250cm - Mechanical Drive PTO FKM 25060 M Front mounted Sweeper 250cm - Mechanical Drive PTO	3995.00 4295.00 4495.00 4950.00 3995.00 4295.00 4495.00 4950.00
Accessories HSZ-180 KM 60 Hydraulic angling to left and right- Requires hydraulic service EMV-KM 60 Electric remote control solenoid valves - Cab mounted control Only 1 double acting service required with detent, provides 2 hydraulic functions from one service, Functions: angling and sweeper drive KM-CONTROL - Automatic brush height control system SSBF 16560 Collector box - 165cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying SSBF 19060 Collector box - 190cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying SSBF 16560 Collector box - 225cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying SSBF 25060 Collector box - 225cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying SSBF 25060 Collector box - 250cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying SSBF 25060 Collector box - 250cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying AKL 22560 Front scraper bar - 225cm - with hydraulic lift and lower AKL 25060 Front scraper bar - 250cm - with hydraulic lift and lower AKL 7060 L Left Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection on, storage position and keystone adjustment ASH 7060 R Right Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection on, storage position and keystone adjustment BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width WA-FLAG Side warning flags - to indicate sweeper width	695.00 695.00 1950.00 1395.00 1450.00 1550.00 1595.00 2650.00 2950.00 1350.00 1350.00 275.00 195.00
WA-FLAG Side warning flags - to indicate sweeper width WAS 100 KM 60 Water tank kit mounted on sweeper - 100litres c/w nozzle rail and 12v water pump WAS 200 KM 60 Water tank kit mounted on sweeper - 200litres c/w nozzle rail and 12v water pump	195.00 1195.00 1595.00



Front Mounted Sweeper for Tractor & Loaders

Front Mounted Sweepers KM 70 series for tractor with front linkage 80-250hp



- KM 70 series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages- Brackets ABR 70 FRONT For tractor front linkage with either quick attach "A" frame or link arms ABR 70 TELE For telescopic loader, tractor front loader, front loading shovel hitch	1450.00 1450.00
ABR 70 GS Pallet tine pockets for forklift trucks and loaders with pallet forks ABR 70 UNIMOG For front mounting for Unimog or other road vehicle over 7500Kg - DIN - en (DIN Plate) This linkage includes implement liftand lower device.	1450.00 2950.00
Attachments (Requires ABR Bracket Above) KM 25070 H Front mounted Sweeper 250cm - Hydraulic Drive KM 30070 H Front mounted Sweeper 300cm - Hydraulic Drive	6950.00 8350.00
Accessories HSZ-450 Hydraulic angling to left and right - Requires - hydraulic service Dauble angling EMV-KM70 Electric remote control solenoid valves - Cab mounted KM CONTROL KM Control - Automatic brush height control system	695.00 695.00 1950.00
SPL 25070 Front brush guard - 250cm to control debris discharge for sweepers without collector. SPL 30070 Front brush guard	475.00 495.00
- 300cm to control debris discharge for sweepers without collector. SSB 25070 Collector box	2500.00
 - 250cm - Fully floating system with gauge wheels - 250x85mm and dual cylinder hydraulic emptying SSB 30070 Collector box - 300cm - Fully floating system with gauge wheels - 300x85mm and dual cylinder hydraulic emptying 	2800.00
AKL 25070 Front scraper bar - 250cm - with hydraulic lift and lower AKL 30070 Front scraper bar - 300cm - with hydraulic lift and lower ASH 8570 L Left Hand 85cm Gulley Brush with variable speed, hydraulic drive, spring	3950.00 4500.00 1450.00
loaded collision protection, storage position and keystone adjustment ASH 8570 R Right Hand 85cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and keystone adjustment	1450.00
BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width WA-FLAG Side warning flags - to indicate sweeper width WAS 200 KM 70 Water tank kit mounted on sweeper - 200litres c/w nozzle rail and 12v/24v submersible water pump	275.00 195.00 1495.00



... Or a Kersten WeedBrush?

ersten

When moss and weeds become established on hard surfaces they are difficult to remove with a sweeper. For this application we have made the Weedbrush.

Kersten WeedBrushes have been designed to quickly remove weeds and moss, along with the soil they grow in from hard surfaces like tarmac and block paving. We achieve this with several features not typically found on other Weedbrushes.

VersaBrush – The WeedBrush is fitted with VersaBrushes. These brush sections are composed of two wire types. Thick flat wires are used to cut the weeds and soil from the surface and removes the material; like using many tiny shovels. Thinner wire then sweeps the surface clean. The more soil that we can remove the longer the surface will remain free of weeds.

Angling – The WeedBrush can be angled in all directions for getting into cracks and crevices'. Using the brush on an angle allows it to penetrate the joints in surfaces such as block paving and cope with cambers.

Pressure – Brush height and pressure is controlled by an adjustable castor wheel placed close to the brush and a weight on top. This allows the pressure to be adjusted to suit the application, achieving a perfect combination of cleaning performance and brush life.





Stone guard – To reduce stone throwing, our WeedBrushes rotate at very low speeds of between 180 – 400 rpm. Because of the high torque, we are still able to achieve a great finish, but the lower speed gives much less energy to stones and other debris so they are not turned into dangerous projectiles. A protective guard also helps to keep material close to the brush, so the arisings are easy to clean up after WeedBrushing. The slow rotation speed has the added benefit of creating less vibration.


Just add water... – By adding water the WeedBrush is able to scrub dirt and algae from surfaces such as sandstone and other paving.





Front Mounted WeedBrush for Ride-on Mower

Front Mounted WeedBrush FKDR series for Ride on Mower



John Deere X300 series, X500 series

Iseki SXG216

FKDR-HYDR


Attachment



- FKDR series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Linkage FKDR/HYDR Front Linkage Kit - See Page 4-5	1950.00
Attachments WKB-H-FKDR WeedBrush 40 cm working width	2125.00
Consumables 700 000 135 Standard Steel Versabrush each 700 000 135N Nylon Versabrush each	9.95 10.50





Front Mounted Professional WeedBrush for Tractor

Professional WeedBrush UB 6080 series for Tractors and Front Mower 30 - 60HP

WeedBrush FKDR series

Front Mounted WeedBrush UB 6080 series page 29 - 30-60hp

> WeedBrush UB EASY series page 31 - 45hp+

HYDRAULIC DRIVE
 UB 6080 H
 At least 25 L/min circulating oil

MECHANICAL DRIVE PTO

• UB 6080 MH








- Without Brush plate
- Suitable for 60, 80 and 90 cm Brush plate
- Adjustable swivel range
- 3 levels adjustable 0/20/40

degrees

- 2 mechanically adjustable levels
- Plate adjustment back and forth hydraulic
- Height adjustable support wheel
- Side guard
- Requires ABR Mounting Bracket



- UB 6080 series










Front Mounted WeedBrush for Tractor

Professional WeedBrushUB Easy series for Tractor and Front Loaders 45HP+





Front Mounted WeedBrush:

- Hydraulic Drive
- Brush plate Ø 80 cm with tufts
- Plate mechanically adjustable in angle
- lateral protection device
- Requires ABR Mounting Bracket

- UB EASY series

PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Linkage ABR UB DP Tractor front linkage with CAT 1 or CAT 2 link arms. ABR UB KD Tractor front linkage with CAT 1 A-Frame connection. ABR UB LA Front Loader connection.	650.00 650.00 650.00
Attachments UB EASY PAK FL Hydraulically drive 80cm weed disc with 24 brush sections Mechanical adjusting working angle Adjustable support wheel flow control valve Debris	2995.00
guard included UB EASY PAK VB width 85cm (verical brush) UB EASY PAK DS width 80cm	3595.00 2995.00
Accessories MP-BK-UB-EASY Replaceable head with vertical brushes for path edging MP-MR-UB-EASY Flow control valve for stepless speed adjustment MP-LR-UB-EASY Support wheel for fine height adjustment	1495.00 250.00 350.00
Consumables 700 000 135 Standard Steel Versabrush each 700 000 135N Nylon Versabrush each	9.95 10.50





Front Mounted Blower for Ride-on Mower

Front Mounted low noise leaf blower for Ride on Mower

Blower for Ride-on Mower page 33

FKDR-Hydr Front Linage Kits are available for:

Kubota GR1600, GR1600-11 GR2100, GR2120, GR2120 S

John Deere X300 series, X500 series

Iseki SXG216

(FKDR/HYDR Front linkage kit required see page 4-5)

LBV-HO-FKDR

Powered by Honda Engine





FKDR-HYDR

Attachment



- FKDR series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Linkage FKDR/HYDR Front Linkage Kit - See Page 4-5	1950.00
Attachments LBV-HO-FKDR Leaf blower • 9,6 kW (13 PS) Honda Engine • with Automatic oil cut-off • noise emission turbine • Aluminum impeller • Turbine housing PE plastic • Discharge direction right • Blowout reach about 8 Meter • 2 swiveling ball-bearing Wheels 180x85 mm • Parking supports for storage	3650.00





- LBV series

PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets ABR LBV DP Bracket for Tractor CAT 1 or CAT 2 linkage with link arms. ABR LBV KD Bracket for Tractor front linkage with CAT 1 or CAT 0 A-Frame connection. ABR LBV FM Bracket for out front mower front linkage with lift arms.	595.00 595.00 695.00
Attachments (ABR Bracket Required) LBV 3300 H Hydraulic Leaf Blower as above with 60m ³ /min output LBV 4300 M Mechanical Leaf Blower as above with 60m ³ /min output LBV 4300 H Hydraulic Leaf Blower as above with 80m ³ /min output LBV 4300 M Mechanical Leaf Blower as above with 80m ³ /min output	3450.00 3150.00 3650.00 3500.00
Accessories LBV-HUT-HD 3300 Hydraulic angling 360 degree rotational outlet chute LBV-HUT-HD 4300 Hydraulic angling 360 degree rotational outlet chute	795.00 995.00







Tractor Mounted Gravel Path Renovators

Tractor Mounted Gravel Path Renovator for removing weeds and moss from gravel surfaces

Gravel Path Renovators - WE series page 37

Gravel Path Renocators:

- Without Brush plate
- Mechanically via PTO
- For weed removal on water-bound surfaces
- Vibration-free work by opposing Tools
- Height-adjustable sides
- Low-maintenance oil bath gearbox
- Breakaway device
- incl. PTO
- max. PTO input speed 1000 U / min
- suitable for rear mounted KAT 1N
- or KAT 1
- Requires ABR Mounting Bracket

MECHANICAL DRIVE PTO

for Tractor 20 - 50HP • WE 110 M-DP

Gravel Path Renovator 110cm working width

• WE 150 M-DP Gravel Path Renovator 150cm working width

- WE series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets ABR WE DP Bracket for tractor rear linkage with CAT 1 or CAT 2 link arms.	INCLUDED
Attachments (requires one set of tools from accessories below)WE 110 M-DPGravel Path Renovator 110cm working widthWE 150 M-DPGravel Path Renovator 150cm working width	5995.00 7195.00
Accessories WM-SATZ 110 Angled Knife set for loose gravel surfaces for 110 WM-SATZ 150 Angled Knife set for loose gravel surfaces for 150 MEISSEL-SATZ 110 Chiseled set with carbide tips for crushed stone surfaces 110 MEISSEL-SATZ 150 Chiseled set with carbide tips for crushed stone surfaces 150 BUES-SATZ 110 Thick weedbrush sections for tarmac sub base 110 BUES-SATZ 150 Thick weedbrush sections for tarmac sub base 150	415.00 450.00 875.00 1195.00 750.00 950.00





Professional Mounted Spreader

Rear Mounted Hydraulic Rotary Gritter/Spreader

for Ride on Mower

Mounted Spreader - FKDR SLDST page 39 (FKDR/HYDR Front linkage kit required see page 4-5)

SLDST 70 H-FKDR Spreader 70 Liter

FKDR-Hydr Front Linage Kits are available for:

Kubota GR1600, GR1600-11 GR2100, GR2120, GR2120 S

John Deere X300 series, X500 series

Iseki SXG216







Extension



Attachment



- FKDR SLDST



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Linkage FKDR-HYDR Front Linkage Kit - See Page 4-5 AK-SLDST-H Extension console rear attachmemt for Riding Mower	1950.00 265.00
Attachments SLDST 70 H-FKDR Rear Mounted Hydraulic Rotary Gritter/Spreader 70litre • for Spreading salt, sand, grit • hydraulically driven via FKDR-HYDR Front linkage system • Spreading quantity regulation • Spreading widths from 0.5 to 4.0 m adjustable • Damp material agitator • Stainless steel hopper AK-SLDST-H Extension console required	2100.00
Accessories ADP-SLDST Hopper cover for spreader	150.00





Manual Snow Plough for Ride-on Mower

Front Mounted Snow Plough complete with linkage for Ride-on mower

Snow Plough for Ride-on Mower page 41

Front SCHN 12545 FK-PAK Mech

125cm working width

- 45cm high
- spring back blade protection
- 2 adjustable springs
- adjustable ground skids
- adjustable Urethane Scraper

• incl. front mechanical lifting and angling of the snow blade

• including all mounting hardware for mounting to Ride-on Mowers

• SCHN 12545 FK-PAK Mech JOH


Snow blade and linkage kit complete for John Deere X300 and X540

SCHN 12545 FK-PAK Mech KUB

Snow blade and linkage kit complete for Kubota GR series

SCHN 12545 FK-PAK Mech ISS

Snow blade and linkage kit complete for Iseki SXG216







PART No. / DESCRIPTION	PRICE
Attachments SCHN 12545 FK-PAK Mech JOH Suitable for John Deere X300/540 Snow blade and linkage kit complete 125 cm working width • 45 cm high • spring back blade protection • 2 adjustable springs • adjustable ground skids • adjustable Urethane Scraper • incl. front mechanical lifting and angling of the snow blade • including all mountings	1150.00
SCHN 12545 FK-PAK Mech KUB as above Suitable for Kubota GR-Serie - Snow blade 125cm working width	1150.00
SCHN 12545 FK-PAK Mech ISS as above Suitable for Iseki SXG216 - Snow blade 125cm working width	1150.00





Hydraulic Snow Plough for Ride-on Mower

Front Mounted Snow Plough for Rideon Mower

Mounted Snow Ploughs - FKDR series p. 43

FKDR-Hydr Front Linage Kits are available for:

Kubota GR1600, GR1600-11 GR2100, GR2120, GR2120 S

John Deere X300 series, X500 series

Iseki SXG216

All snow ploughs feature

(FKDR/HYDR Front linkage kit required see page 4-5)

• SCHN 11045 FK-FKDR Snow blode 110cm

SCHN 12545 FK-FKDR Snow blode 125cm



FKDR-HYDR



Attachment





PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Linkage FKDR-HYDR Front Linkage Kit - See Page 4-5	1950.00
Attachments SCHN 11045 FK-FKDR Snow blade 110 cm working width • 45 cm high • spring break back protection system • 2 retracting springs • adjustable Ground skids • adjustable Urethane cutting edge • suitable for mounting on the FKDR front coupling triangle	595.00
SCHN 12545 FK-FKDR Snow blade 125cm working width • 45 cm high • spring break back protection system • 2 retracting springs • adjustable Ground skids • adjustable Urethane cutting edge • suitable for mounting on the FKDR front coupling triangle	695.00





Mounted Snow Ploughs

Mounted Snow Plough for sub conpact tractors, compact tractors and front mowers 12-60hp fitted with front linkage

Mounted Snow Ploughs - SCHN 60 series p. 45

• SCHN 13545 FK-ABR


Mounted Snow plough 135cm Width x 45 cm ligh

• SCHN 14060 FK-ABR Mounted Snow plough 140cm Width x 60cm

• SCHN 15060 FK-ABR Mounted Snow plough 150cm Width x 60cm

• SCHN 16060 FK-ABR Mounted Snow plough 160cm Width x 60cm


• SCHN 18060 FK-ABR Mounted Snow plough 180cm Width x 60cm







PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets ABR SCHN US Bracket for fitting to John Deere Quick-hitch linkage. ABR SHN KUB B1220 Bracket for fitting to Kubota B1220 Kersten Linkage. ABR SCHN KUB G2326 Bracket for fitting to Kubota G23/G26 Kersten Linkage. ABR SCHN KD Bracket for fitting to Front A Frame Linkage CAT 0 or CAT 1. ABR SCHN DP Bracket for fitting to rear 3 point linkage CAT 1 or CAT 2. ABR SCHN FM Bracket for fitting to front Mowers.	350.00 350.00 350.00 495.00 495.00 695.00
Attachments SCHN 13545 FK-ABR (Without ABR Bracket) Snow blade 135 cm working width Mounting frame ABR-SCHN required Blade height 45 cm • spring break back protection system • 2 retracting springs • Hydraulic or Manual angling device (please specify) • adjustable ground skids Mounting frame ABR-SCHN required (see above) SCHN 14060 FK-ABR (Without ABR Bracket) Snow blade 140 cm working width Blade height 60 cm as above SCHN 15060 FK-ABR (Without ABR Bracket) Snow blade 150 cm working width Blade height 60 cm as above SCHN 16060 FK-ABR (Without ABR Bracket) Snow blade 160 cm working width Blade height 60 cm as above SCHN 18060 FK-ABR (Without ABR Bracket) Snow blade 160 cm working width Blade height 60 cm as above SCHN 18060 FK-ABR (Without ABR Bracket) Snow blade 160 cm working width Blade height 60 cm as above	1150.00 1650.00 1795.00 1950.00 2250.00
Accessories RD-SCHN-G Castor wheels for supporting the plough blade O BG-LEUCHTEN Red and white marker lights for the edge of the plough WA-FLAG Flags to mark the edge of the plough	250.00 295.00 225.00





HOAF Professional ThermHIT

HOAF ThermHIT Infra-red weed burners for Tractor 15-45HP



- TWB 075 FD Mounted burner-
- TWB 100 ABR Mounted burner-

• TWB 125 ABR Mounted burner-





- TWB series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets ABR-TWB-FKDR Mounting frame Coupling triangle Kersten. ABR-TWB-KD Mounting frame Coupling triangle attachment. ABR-TWB-DP Mounting frame Coupling triangle attachment Kat I and II. ABR-TWB-FM Mounting frame Coupling Mowers. ABR-TWB-TELE Mounting frame Telescopic Forklift.	625.00 625.00 625.00 695.00 1595.00
Attachments TWB 075 FD Mounted burner - TWB 100 ABR Mounted burner - TWB 125 ABR Mounted burner -	4395.00 7995.00 15,395.00
Accessories HSV-TWB Hydraulic side adjustment for Thermhit HFTH 015 Thermal Lance TWB GT 120 LPG Gas-Tank 2 x 85 Liters in coupling triangle with lighting and warning signs TWB GT 240 LPG Gas-Tank 2 x 120 Liters in coupling triangle with lighting and warning signs	2395.00 695.00 5995.00 7195.00





HOAF Professional WeedAIR

HOAF WeedAir - Hot Air Weed Burner for Tractor 15-70HP

Hoaf Hot Air Weed Burners p. 49

- HFWA 075 M Mounted burner-
- HFWA 100 M Mounted burner-
- HFWA 150 M Mounted burner-





- HFWA series



PART No. / DESCRIPTION	PRICE
Brackets and Linkages - Brackets ABR-TWB-FKDR Mounting frame Coupling triangle Kersten. ABR-TWB-KD Mounting frame Coupling triangle attachment. ABR-TWB-DP Mounting frame Coupling triangle attachment Kat I and II. ABR-TWB-FM Mounting frame Coupling Mowers. ABR-TWB-TELE Mounting frame Telescopic Forklift.	625.00 625.00 625.00 695.00 1595.00
Attachments HFWA 075 M Mounted burner - HFWA 100 M Mounted burner - HFWA 150 M Mounted burner -	10,895.00 24,995.00 29,995.00
Accessories HSV-TWB WS Hydraulic side adjustment for Weedair HFTH 015 Thermal Lance TWB GT 120 LPG Gas-Tank 2 x 85 Liters in coupling triangle with lighting and warning signs TWB GT 240 LPG Gas-Tank 2 x 120 Liters in coupling triangle with lighting and warning signs	2995.00 695.00 5995.00 7195.00







T: 0118 986 9253

www.kerstenuk.com info@kerstenuk.com

Your Kersten stockist



Kersten (UK) Ltd, Progress House, 39 Boulton Road, Reading RG2 0NH Prices are subject to VAT E&OE