

MOUNTED BLOWER 2023



Prices are subject to change and are recommended retail prices without VAT.
When ordering, please seek a formal quotation from Kersten UK or an authorised Kersten Dealer.

LBV 6900-Series Blower



Specification

- Adjustable Caster Wheels 180 x 80 mm
- Depth Adjustment with Scale
- Air Flow - 115m³/min
- Air Reach - 12m
- Warranty - 2 year
- Noise - < 84dB
- Weight - 95kg
- Choice of Mounting Frame

The Kersten LBV 6900 with a noise level under 84dB is the ideal blower for clearing leaves around built up areas such as schools and holiday parks. The LBV 6900 is a professional tractor mounted blower for compact and sub-compact tractors or out-front mowers with Hydraulic or Mechanical drive. The LBV has a light weight, dynamically balanced aluminium fan producing an air velocity of 230 km/h allowing even wet heavy material to be lifted from the surface and blown up to 12 meters. Very low noise is achieved with the use of inlet and outlet silencers and a one piece plastic fan housing. The resulting sound-pressure at the ear of the operator is < 84dB allowing the use of the LBV without the need of ear protection, allowing use in more built up areas. Easy adjustment of the air direction is possible allowing fast results even in places with restricted manoeuvrability.

Large casters allow the machine to follow contours with ease and cushion the impact on all parts of the blower and tractor extending its life. The LBV can be supplied with a variety of mounting frames and PTO speeds to suit tractor front linkage or special brackets for most leading brands of out front mowers. Allowing you to use your mower as a multifunctional tool. The Brackets allow mounting in just a few minutes, getting you on the job quicker. The light weight design (at just 95kg) allows fitment to smaller tractor units. The LBV range come with a fixed outlet chute as a standard feature. This can be replaced at purchase with a chute that can be rotated 360 degrees in order to direct the flow of air in a place of choosing. The hydraulic operation of this makes it comfortable to use from the cab. A set of double acting spool valves is required to operate this accessory.

Model Number	Price (£)	Description	Part Number	Description	Price (£)
LBV 6900-H	5195	Hydraulic leaf blower with 115m ³ per minute output, with third support wheel to protect outlet chute	ABR LBV DP	Bracket for rear 3PL	850
LBV 6900-M	5395	Mechanical leaf blower with 115m ³ per minute output, with third support wheel to protect outlet chute	ABR LBV KD	Bracket for Cat 0 front linkage	850
			ABR LBV FM	Bracket for out front mower	950
			ABR LBV US	Bracket for John Deere Quick hitch	850
			ABR LBV HECK X900	Bracket for rear 3PL on John Deere X900	995

Accessories:

Part Number	Description	Price (£)
LBV-HUT-HD 6900	Hydraulic chute rotation 360 degrees	1350
LBV-HUT-HD 6900E	Electric chute rotation 360 degrees	1750

- Brackets & Linkages
- Power Unit
- Attachments
- Accessories
- Consumables



KERSTEN LBV BLOWER FITTED TO AN AVANT WHEEL LOADER

Kersten

SITE MAINTENANCE EQUIPMENT

**KERSTEN (UK) LTD
PROGRESS HOUSE
39 BOULTON ROAD
READING
RG2 0NH**

**0118 986 9253
INFO@KERSTENUK.COM**

KERSTENUK.COM

