

PROFESSIONAL TRACTOR ATTACHMENTS FOR SURFACE MAINTENANCE



Why choose a Kersten sweeper?

Detritus build up is one of the largest causes of weeds on hard surfaces.
Sweeping this detritus is our first line of defence against weeds.

Kersten sweepers have been specifically designed to remove soil and heavy debris on hard surfaces. This is achieved by several very important design features that are not typically found on other sweepers.

The brush – We use 5 spiral rows of bristles on our roller brush. The gaps between the rows provide space for movement of larger volumes of heavy debris. The spiral pattern allows pressure to be applied across a narrow section of the brush rather than the full width. Less power is required to move heavy material at this point, than across the whole brush at once, so the brush can tackle much heavier material than other brushes.

Height adjustment – The pressure of the brush can be finely adjusted on the rear castors, which prevents unnecessary brush wear and allows the brush to maximise performance on a range of surfaces. The two castors also allow the brush to follow contours closely to keep as much contact with the ground as possible.

Angling – The brushes can be angled to sweep forward, left or right. This allows material to be collected or wind-rowed



Our sweepers can be fitted with a range of accessories for making the job even easier;

Collector boxes – A height adjustable container can be fitted to the sweeper in order to collect material that has been swept. The box is sized so that it can be handled by one operator and is perfect for the collection of heavy debris such as soil, moss and sand.

Gully brush – A side brush can be fitted for presenting gullies. The brush pulls material out from the edges into the path of the main brush, so it can be collected.

This really makes an impact on a site and draws the eye to the crisp clean edges.

Brush guard – A brush guard can be fitted to our sweepers instead of the collecting box.

This prevents dust and debris being flicked into the air by the brush. Instead the material is contained close to the brush. This is extremely useful when trying to wind-row material.



Linkages - Ride-on Mowers
page 4-5

Sweepers for ride-on mowers
page 6-7

WeedBrush for ride-on mowers
page 26-27

Blower for ride-on mowers
page 32-33

Spreader FKDR
page 38-39

Snow Ploughs FKDR
page 42-43

• **FKDR-HYDR** front linkage for ride-on mowers


Front linkage kit for ride-on mowers. Hydraulic lift and lower. Hydraulic angling left and right. All actions from operators seat. Quick-Attach-A implement hitch. Auxiliary hydraulic service to operate Kersten sweeper lift/lower including hydraulic pump, tank and variable flow control valve.

FKDR-Hydr Front Linage Kits are available for:

Kubota GR1600, GR1600-11
GR2100, GR2120, GR2120 S

John Deere X300 series,
X500 series

Iseki SXG216



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| <p><i>Brackets and Linkages - Linkage</i> FKDR/HYDR Front Linkage kit with hydraulic operation and drive</p> <ul style="list-style-type: none"> • Hydraulic lift and lower • Hydraulic angling left and right • Hydraulic tank with control valves and 1/2" hydraulic couplings (1 double acting valve +1 double acting with floating position and motor drive with variable speed control) • Supplied with male quick attachment "A" frame to suit Kersten FKDR sweepers, snow ploughs, WeedBrush, wide area brush, Hoaf weed burners and spreaders. <p>Kersten FKDR-HYDR Front linkage kits are currently available for the following ride-on mowers;</p> <p>FKDR-HYDR-KUGR1600 - Kubota GR1600, GR1600 -11 FKDR-HYDR-KUGR2120 - Kubota GR2100, GR2120, GR2120 S FKDR-HYDR-JDX300 - John Deere X300 series FKDR-HYDR-JDX500 - John Deere X500 series FKDR-HYDR-ISSXG216 - Iseki SXG 216</p> | <p>2150.00</p> |



Front Mounted Sweepers FKDR for Ride on Mower

Sweepers FKDR 37 series for ride-on mowers
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

Sweepers KM 50 series
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp


Sweepers FKM 60L series
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

(FKDR/HYDR Front linkage kit required
see page 4-5)

- **KM 10037H-FKDR** with 100cm
- **KM 11537H-FKDR** with 115cm
- **KM 12537H-FKDR** with 125cm



FKDR-HYDR

Attachment

FKDR-Hydr Front Linage
Kits are available for:

Kubota GR1600, GR1600-11
GR2100, GR2120, GR2120 S

John Deere X300 series,
X500 series

Iseki SXG216



Accessories

1. Front brush guard
2. Collector box
3. Garage Stands
4. Gully brush- 40cm Ø



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Linkage</i> | |
| FKDR/HYDR Front linkage kit for ride-on mowers. Hydraulic lift and lower. Hydraulic angling left and right. All actions from operators seat. Quick-Attach-A implement hitch. Auxiliary hydraulic service to operate Kersten sweeper lift/lower including hydraulic pump, tank and variable flow control valve. | 2150.00 |
| <i>Attachments</i> | |
| KM 10037H-FKDR Front Mounted Sweeper 100cm | 2150.00 |
| KM 11537H-FKDR Front Mounted Sweeper 115cm | 2250.00 |
| KM 12537H-FKDR Front Mounted Sweeper 125cm | 2350.00 |
| <i>Accessories</i> | |
| GUSPL 100 Front Brush Guard 100cm | 220.00 |
| GUSPL 115 Front Brush Guard 115cm | 235.00 |
| GUSPL 125 Front Brush Guard 125cm | 250.00 |
| SSB 100 Collector Box and Brackets | 695.00 |
| SSB 115 Collector Box and Brackets | 725.00 |
| SSB 125 Collector Box and Brackets | 750.00 |
| AST37LR Garage stands | 190.00 |
| ASM 403237 Side Gully Brush 40cm Ø, Belt drive | 695.00 |
| ASH 403237 Side Gully Brush 40cm Ø, Hydraulic drive | 995.00 |
| <i>Consumables</i> | |
| 100 510 037 Replacement five row poly combi-brush for 100cm, 37cm Ø | 305.00 |
| 115 510 037 Replacement five row poly combi-brush for 115cm, 37cm Ø | 325.00 |
| 125 510 037 Replacement five row poly combi-brush for 125cm, 37cm Ø | 345.00 |
| 105 425 400 Replacement gully brush 40cm Ø | 95.00 |



Rear Mounted Sweepers HKM 40 series for tractors with rear CAT 1 three point linkage 12-40hp

Sweepers FKDR 37 series
page 6 16-26hp

Rear Mounted Sweepers HKM 40 series for Tractors
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

Sweepers KM 50 series
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp


Sweepers FKM 60L series
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

MECHANICAL DRIVE PTO

- **HKM 12540 M** with 125cm
- **HKM 15040 M** with 150cm



Suitable for most compact and sub compact tractors with Cat 0 or Cat 1 Linkage

Front Mounted Sweeper:

- Includes garage stands
- Folded steel frame construction
- Brush diameter 40cm
- 2 support wheels 200x50cm with individual lever height adjustment
- Mechanical angling left and right
- Supplied with 2 section, 5 row Combi brush
- Supplied with Cat 1 3 point linkage mounting frame

Accessories

1. Brush guard
2. Collector box
3. Garage Stands
4. Gully brush - Hydraulic - 50cm Ø



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <p><i>Attachments</i></p> <p>HKM 12540 M Rear mounted Sweeper 125cm - Mechanical Drive PTO 3295.00</p> <p>HKM 15040 M Rear mounted Sweeper 150cm - Mechanical Drive PTO 3495.00</p> | |
| <p><i>Accessories</i></p> <p>MP-MR-ST Flow Control Vave for HKM 40 series Sweepers suitable for HKM 40 sweepers with hydraulic drive only. 350.00</p> <p>HB-SSB-HFKM Hydraulic emptying for collector box Requires double acting spool valve to operate. 630.00</p> <p>HSZ-180 Hydraulic angling to left and right - Requires hydraulic service D/A. 495.00</p> <p>SPA 125 Front brush guard - 125 to control debris discharge for sweeper without collector. 175.00</p> <p>SPA 150 Front brush guard - 150 to control debris discharge for sweeper without collector. 195.00</p> <p>SSB 12540 Collector Box 125cm for HKM 40 series sweepers, manual by rope mechanism. Made from steel. Requires part SPA 125. 650.00</p> <p>SSB 15040 Collector Box 150cm for HKM 40 series sweepers, manual by rope mechanism. Made from steel. Requires part SPA 150. 695.00</p> <p>ASH 5040 M 50cm Side gulley brush for HKM 40 -M series sweepers with PTO drive. This gulley brush is hydraulic drive and requires a hydraulic service to operate. Includes adjustable speed control. 1450.00</p> | |
| <p><i>Consumables</i></p> <p>125 010 040 Replacement Combi-brush 125cm, 40cm Ø 355.00</p> <p>150 010 040 Replacement Combi-brush 150cm, 40cm Ø 395.00</p> <p>105 750 500 Replacement gulley brush 50cm Ø 119.00</p> | |



Front Mounted Sweepers KM 45 series for front mowers and tractors with front linkage 12-40hp

Sweepers FKDR 37 series
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

**Front Mounted Sweepers KM 45 series
for Tractors**
page 10 12-40hp

Sweepers KM 50 series
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp

Sweepers FKM 60L series
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

HYDRAULIC DRIVE

(recommended flow rate is 20L/min.)

- **KM 13045 H** with 130cm
- **KM 15045 H** with 150cm
- **KM 16545 H** with 165cm

MECHANICAL DRIVE PTO

- **KM 13045 M** with 130cm
- **KM 15045 M** with 150cm
- **KM 16545 M** with 165cm



Front Mounted Sweeper:

- Includes garage stands
- Folded steel frame construction
- Brush diameter 45cm
- 2 support wheels 135x40cm with individual lever height adjustment
- Mechanical angling left and right
- Supplied with 2 section, 5 row Combi brush
- **Mounting Bracket ABR45 is Required**



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages</i> | |
| ABR 45 US- Bracket for John Deere quick-tach front Linkage on X series and 1024 | 495.00 |
| ABR 45 KUB-B 1220 Bracket for Kersten FKHB front linkage A frame on Kubota B1220 | 495.00 |
| ABR 45 KUB-G 2326 Bracket for Kersten FKHB front linkage A frame on Kubota G23-G26 | 495.00 |
| ABR 45 KD- Bracket for CAT 1 front linkage A frames. Full details of tractor and front linkage fitted are required. | 595.00 |
| ABR 45 DP- Bracket for CAT 1 front linkage A frames. Full details of tractor and front linkage fitted are required. | 595.00 |
| ABR 45 FM- Bracket for Front Mowers eg. Kubota F3890 will be ABR 45 FM KUB-F3890 John Deere F1565 will be ABR 45 FM JD-F1565 | 695.00 |
| <i>Attachments</i> | |
| KM 13045 M-ABR 45 Mounted Sweeper 130cm - Mechanical Drive PTO | 2995.00 |
| KM 15045 M-ABR 45 Mounted Sweeper 150cm - Mechanical Drive PTO | 3395.00 |
| KM 16545 M-ABR 45 Mounted Sweeper 165cm - Mechanical Drive PTO | 3595.00 |
| KM 13045 H-ABR 45 Mounted Sweeper 130cm - Hydraulic Drive | 2995.00 |
| KM 15045 H-ABR 45 Mounted Sweeper 150cm - Hydraulic Drive | 3395.00 |
| KM 16545 H-ABR 45 Mounted Sweeper 165cm - Hydraulic Drive | 3595.00 |
| <i>Accessories</i> | |
| HSZ-180 Hydraulic angling to left and right- Requires hydraulic service D/A | 525.00 |
| GUSPL 13045 Front brush guard 130cm to control debris discharge for sweepers without collector. | 215.00 |
| GUSPL 15045 Front brush guard 150cm to control debris discharge for sweepers without collector. | 225.00 |
| GUSPL 16545 Front brush guard 165cm to control debris discharge for sweepers without collector. | 250.00 |
| SSB 13045 K Collector Box 130cm for KM45 Series Sweepers, Includes hydraulic emptying Made from Plastic, Includes two running caster wheels. | 1195.00 |
| SSB 15045 K Collector Box 150cm for KM45 Series Sweepers, Includes hydraulic emptying Made from Plastic, Includes two running caster wheels. | 1250.00 |
| SSB 16545 K 165cm Collector is not available for KM 45 Series Sweepers. | 1450.00 |
| ASM 4045 KM Side Gulley Brush 40cm for KM 45 series sweepers. Mechanical belt drive. | 795.00 |
| ASH 4045 KM Side Gulley Brush 40cm for KM 45 series sweepers. Hydraulic drive. | 1250.00 |
| EMV Electric remote control solenoid valves. | 495.00 |
| WAS 100 AUF Water Dust Suppression Kit -100litre. | 1100.00 |
| WAS 200 KAT 1 Water Dust Suppression Kit -200litre. | 1450.00 |
| MP-MR-ST Flow Control Valve. | 320.00 |
| BG-LEUCHTEN Side marker lights. | 295.00 |
| WA-FLAG Side warning flags. | 250.00 |
| <i>Consumables</i> | |
| 130 510 045 Replacement brush 130cm, 45cm Ø | 380.00 |
| 150 510 045 Replacement brush 150cm, 45cm Ø | 475.00 |

Front Mounted Sweepers

for upfront mowers and tractor with front linkage 25-50hp

Sweepers FKDR 37 series
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

**Front Mounted Sweepers KM 50 series
for Tractors**
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp

Sweepers FKM 60L series
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

HYDRAULIC DRIVE

(recommended flow rate is 40L/min.)

- **KM 13050 H** with 130cm
- **KM 14750 H** with 147cm
- **KM 16550 H** with 165cm

MECHANICAL DRIVE PTO

- **KM 13050 M** with 130cm
- **KM 14750 M** with 147cm
- **KM 16550 M** with 165cm



Front Mounted Sweeper:

- Includes garage stands
- Folded steel frame construction
- Brush diameter 50cm
- 2 support wheels 200x50cm with individual lever height adjustment
- Hydraulic angling left and right - requires 1 double acting service
- Supplied with 2 section, 5 row Combi brush
- **Mounting Bracket ABR50 is Required**



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR 50 KD-.... Bracket for CAT 1 front linkage A frames. Full details of tractor and front linkage fitted are required. | 650.00 |
| ABR 50 DP-.... Bracket for tractors with CAT 1 and CAT 2 front linkages without A frames. Full details of tractor and front linkage fitted are required. | 650.00 |
| ABR 50 FM-.... Bracket for Front Mowers eg. Kubota F3890 will be ABR 50 FM KUB-F3890 John Deere F1565 will be ABR 50 FM JD-F1565 | 795.00 |
| <i>Attachments (Requires ABR Bracket above)</i> | |
| KM 13050 H-ABR 50 Rear mounted Sweeper 130cm - Hydraulic Drive | 4495.00 |
| KM 14750 H-ABR 50 Rear mounted Sweeper 147cm - Hydraulic Drive | 4695.00 |
| KM 16550 H-ABR 50 Rear mounted Sweeper 165cm - Hydraulic Drive | 4795.00 |
| KM 13050 M-ABR 50 Rear mounted Sweeper 130cm - Mechanical Drive PTO | 4495.00 |
| KM 14745 M-ABR 50 Rear mounted Sweeper 147cm - Mechanical Drive PTO | 4695.00 |
| KM 16550 M-ABR 50 Rear mounted Sweeper 165cm - Mechanical Drive PTO | 4795.00 |
| <i>Accessories</i> | |
| MP-RD 180 X 80 Heavy duty height adjustment wheels in lieu of standard. | 150.00 |
| AST 4050 LR Garage Jack Stands. To enable easy movement when the sweeper is detached from tractor. Includes castor wheels. | 295.00 |
| SSB 13050 B Collector Box 130cm for KM 50 Series Sweepers, Includes hydraulic emptying. Made from steel. | 1100.00 |
| SSB 14750 B Collector Box 147cm for KM 50 Series Sweepers, Includes hydraulic emptying. Made from steel. | 1200.00 |
| SSB 16550 B Collector Box 165cm for KM 50 Series Sweepers, Includes hydraulic emptying Made from steel. | 1300.00 |
| ASH 50 KM 4050 M Side Gully Brush 50cm for KM 50 Mechanical PTO series sweepers only. This gully brush includes a hydraulic pump and oil reservoir driven from the input gearbox. Gully Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and keystone adjustment. | 1395.00 |
| ASH 50 KM 4050 H Side Gully Brush 50cm for KM 50 Hydraulic or Mechanical PTO series sweepers. This gully brush is driven from the power unit hydraulic services (requires a hydraulic oil supply). Gully Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and keystone adjustment. | 1395.00 |
| EMV Electric remote control solenoid valves - Cab mounted control only 1 double acting service required with detent, provides 2 hydraulic functions from one service, Functions: angling and sweeper drive | 495.00 |
| WAS 100 AUF Water Dust Suppression Kit -100litre for KM 50 and KM 45 Series Sweeper 12v Electric submersible pump, Spray nozzels and bar, Water container mounted on sweeper. 12v service plug required on vehicle. | 1100.00 |
| WAS 100 KAT1 Water Dust Suppression Kit -100litre for KM 50 and KM 45 Series Sweeper 12v Electric submersible pump, Spray nozzels and bar, Water container mounted on tractor rear 3 point linkages. 12v service plug required on vehicle. | 1350.00 |
| WAS 200 KAT1 Water Dust Suppression Kit -200litre for KM 50 and KM 45 Series Sweeper 12v Electric submersible pump, Spray nozzels and bar, Water container mounted on tractor rear 3 point linkages. 12v service plug required on vehicle. | 1450.00 |
| BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width | 310.00 |
| WA-FLAG Side warning flags - to indicate sweeper width | 215.00 |

Mounted Sweepers KM 52 series for tractor with linkage 30-80hp or front loaders

Sweepers FKDR 37 series
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

Sweepers KM 50 series
page 12 25-50hp

**Mounted Sweepers KM 52 series
for Tractors**
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp

Sweepers FKM 60L series
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

HYDRAULIC DRIVE (recommended flow rate is 35L/min.)

- **KM 15052 H** with 150cm
- **KM 19052 H** with 190cm
- **KM 22552 H** with 225cm



Front Mounted Sweeper:

- Hydraulic Drive
- Inboard hydraulic motor with self adjusting duplex chain to brush
- Substantial steel folded frame construction
- Brush diameter 52cm
- 2 heavy duty support wheels 200x50cm with single lever height adjustment
- Angling left and right on 300mm bearing
- 3 function hydraulic valve block for sweeping with collecting container open or closed
- Including jack stands to support the sweeper when not connected to power unit
- Supplied with 2 section, 5 row Combi brush
- Requires ABR Mounting Bracket



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkag</i> | |
| ABR 52 HECK Bracket for Tractor REAR 3 point linkage with CAT 1 and Cat 2 link | 550.00 |
| ABR 52 FRONT Bracket for Tractor FRONT 3 point linkage with CAT 1 or CAT 2 link | 550.00 |
| ABR 52 KD Bracket for Tractor FRONT linkage with quick attach "A" frame | 550.00 |
| ABR 52 GS-HA Bracket mounting frame with height adjustment for Forklift tines Requires a wheel kit to support the sweeper. Use either LR-SSB-KM or MP-LR-ABR 52 KPL | 525.00 |
| ABR 52 GS Bracket for Pallet tine pockets with floating mount for forklift trucks and loaders with pallet forks | 1100.00 |
| ABR 52 HT... Mounting Frame with floating mount for front loaders and compact loaders up to 30hp. Specify model of required | 825.00 |
| ABR 52 EURO-... Mounting Frame with floating mount for EURO bracket front loaders and compact loaders over 30hp. Specify model of required | 1295.00 |
| ABR 52 KUB Mounting Frame with floating mount for KUBOTA bracket front loaders and compact loaders over 30hp. Specify model of required | 1295.00 |
| ABR 52 JD Mounting Frame with floating mount for JOHN DEERE bracket front loaders and compact loaders over 30hp. Specify model of required | 1295.00 |
| <i>Attachments</i> | |
| KM 15052 H Mounted Sweeper 150cm - Hydraulic Drive | 2395.00 |
| KM 19052 H Mounted Sweeper 190cm - Hydraulic Drive | 2595.00 |
| KM 22552 H Mounted Sweeper 225cm - Hydraulic Drive | 2695.00 |
| <i>Accessories</i> | |
| HSZ-180 Hydraulic angling to left and right- Requires hydraulic service Dauble angling | 525.00 |
| SPL 15052 Front brush guard 150cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted | 310.00 |
| SPL 19052 Front brush guard 10cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted | 350.00 |
| SPL 22552 Front brush guard 225cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted | 410.00 |
| SSB 15052 Collector box -150cm. - See SSB 12552 above for more details. | 995.00 |
| SSB 19052 Collector box -190cm. - See SSB 12552 above for more details. | 1095.00 |
| SSB 22552 Collector box -225cm. - See SSB 12552 above for more details. | 1195.00 |
| LR-SSB-KM 52 Guide wheels for collector - Can be added to collector box when operating on uneven surfaces | 310.00 |
| ASH 7060 L Left Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and mounting plate | 1295.00 |
| ASH 7060 R Right Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and mounting plate | 1295.00 |
| MP-LR-ABR 52 KPL Transport frame with adjustable height wheel Slots in to ABR when sweeper is removed from tractor for easy transport | 450.00 |
| WAS 100 KM 52 Water tank kit mounted on sweeper 100litres c/w nozzle rail and 12v water pump | 1350.00 |
| WAS 200 KM 52 Water tank kit mounted on sweeper 200litres c/w nozzle rail and 12v water pump | 1450.00 |

Rear Mounted Sweepers for tractor with linkage 60 -150hp

Sweepers FKDR 37 series
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

Sweepers KM 50 series
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

**Mounted Sweepers KM 60 series
for Tractors**
page 16 100-150hp

Sweepers FKM 60L series
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

HYDRAULIC DRIVE

(recommended flow rate is 50L/min.)

- **KM 25060 H** with 250cm
- **KM 27060 H** with 270cm



Front Mounted Sweeper:

- Hydraulic Drive
- Inboard hydraulic motor with self adjusting duplex chain to brush
- Substantial steel folded frame construction
- Brush diameter 60cm
- 2 heavy duty support wheels 200x80cm with single lever height adjustment
- Angling left and right on 400mm bearing
- 3 function hydraulic valve block for sweeping with collecting con-tainer open or closed
- Including jack stands to support the sweeper when not connected to power unit
- Supplied with 2 section, 5 row Combi brush
- Requires ABR Mounting Bracket



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR 60 HECK Bracket for Tractor REAR 3 point linkage with CAT 1 and Cat 2 link arms | 795.00 |
| ABR 60 GS Bracket for Pallet tines | 1150.00 |
| <i>Attachments (ABR Bracket Required)</i> | |
| KM 25060 H Mounted Sweeper 250cm Width - Hydraulic Drive | 3795.00 |
| KM 27060 H Mounted Sweeper 270cm Width - Hydraulic Drive | 4195.00 |
| <i>Accessories</i> | |
| HSZ-180 KM 60 Hydraulic angling to left and right- Requires hydraulic service Double angling | 725.00 |
| SPL 25060 Front brush guard 250cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted | 495.00 |
| SPL 27060 Front brush guard 270cm. Suitable to reduce spray from the front of the sweeper used when collector is not fitted | 550.00 |
| SSB 25060 Collector box - 250cm. Plug and operate. Height adjustable with hydraulic emptying (does not require extra hydraulic services.) | 1595.00 |
| SSB 27060 Collector box - 270cm - See SSB 25060 above for more details | 1750.00 |
| ASH 7060 L Left Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and mounting plate | 1395.00 |
| ASH 7060 R Right Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and mounting plate | 1395.00 |
| WAS 100 KM 60 Water tank kit mounted on sweeper - 100litres c/w nozzle rail and 12v water pump | 1350.00 |
| WAS 200 KM 60 Water tank kit mounted on sweeper - 200litres c/w nozzle rail and 12v water pump | 1595.00 |
| <i>Consumables</i> | |
| 250 010 060 Replacement brush 250cm, 60cm Ø | 920.00 |
| 270 010 060 Replacement brush 270cm, 60cm Ø | 750.00 |



Front Mounted Sweepers FKM 60L series for compact loaders and tractor with front linkage 50-70hp

Sweepers FKDR 37 series
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

Sweepers KM 50 series
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp

**Front Mounted Sweepers FKM 60L series
for Tractors**
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

HYDRAULIC DRIVE
(recommended flow rate is 50L/min.)

- **FKM 13060L H** with 130cm
- **FKM 15060L H** with 150cm

MECHANICAL DRIVE PTO

- **FKM 13060L M** with 130cm
- **FKM 15060L M** with 150cm

Front Mounted Sweeper:

- Inboard hydraulic motor with self adjusting duplex chain to brush
- Substantial steel folded frame construction
- Brush diameter 60cm
- 2 heavy duty support wheels 300x100cm with single lever height adjustment
- Angling left and right on 400mm bearing
- Multi function hydraulic valve block with flow control valve, relief valve, overrun protection and auto collector opening.
- Split side panel to allow easy access to change brush
- Integrated side accessories brackets (left and right)
- Paint RAL 2011 (Orange)
- Prepared for optional KM Control system
- Supplied with 2 section, 5 row Combi brush
- Requires ABR Mounting Bracket



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages</i> | |
| ABR 60 KD Bracket for Tractor front linkage with quick attach "A" frame | 795.00 |
| ABR 60 FRONT Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms | 795.00 |
| ABR 60 EURO- Bracket with floating mount to suit loaders with EURO Style Quick Hitch | 1450.00 |
| ABR 60 TELE- Bracket with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch | 1450.00 |
| ABR 60 GS Bracket with Pallet tine pockets and floating mount for forklift trucks and loaders with pallet forks | 1150.00 |
| ABR 60 UNIMOG Front mounting for Unimog or other road vehicle over 7500Kg - DIN - en (DIN Plate) This linkage includes implement lift and lower device. (requires suitable hydraulic service) | 3250.00 |
| ABR 60 TELE-DP Bracket Combination with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch and Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms. | 1995.00 |
| <i>Attachments</i> | |
| FKM 13060L H Front mounted Sweeper 130cm - Hydraulic Drive | 4250.00 |
| FKM 15060L H Front mounted Sweeper 150cm - Hydraulic Drive | 4350.00 |
| FKM 13050L M Front mounted Sweeper 130cm - Mechanical Drive PTO | 4250.00 |
| FKM 15060L M Front mounted Sweeper 150cm - Mechanical Drive PTO | 4350.00 |
| <i>Accessories</i> | |
| HSZ-180 KM 60 Hydraulic angling to left and right- Requires hydraulic service Double angling | 695.00 |
| EMV-KM 60 Electric remote control solenoid valves - Cab mounted control Only 1 double acting service required with detent, provides 2 hydraulic functions from one service, Functions: angling and sweeper drive | 695.00 |
| KM-CONTROL - Automatic brush height control system | 1595.00 |
| SSBF 13060L Collector Box 130cm - Fully floating, parallel system with gauge wheels-250x85mm and hydraulic emptying | 1320.00 |
| SSBF 15060L Collector Box 150cm - Fully floating, parallel system with gauge wheels-250x85mm and hydraulic emptying | 1390.00 |
| ASH 7060 L Left Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protecon, storage position and keystone adjustment | 1395.00 |
| ASH 7060 R Right Hand 70cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protecon, storage position and keystone adjustment | 1395.00 |
| BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width | 295.00 |
| WA-FLAG Side warning flags - to indicate sweeper width | 195.00 |
| WAS 100 KM 60 Water tank kit mounted on sweeper - 100 litres c/w nozzle rail and 12v water pump | 1250.00 |
| WAS 200 KM 60 Water tank kit mounted on sweeper - 200 litres c/w nozzle rail and 12v water pump | 1595.00 |

Front Mounted Sweepers FKM 60 series for tractor with front linkage 70-130hp

Sweepers FKDR 37 series
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

Sweepers KM 50 series
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp

Sweepers FKM 60L series
page 18 50-70hp

**Front Mounted Sweepers FKM 60 series
for Tractors**
page 20 70-130hp

Sweepers KM 70 series
page 22 80-250hp

HYDRAULIC DRIVE

(recommended flow rate is 50L/min.)

- **FKM 16560 H** with 150cm
- **FKM 19060 H** with 190cm
- **FKM 22560 H** with 225cm
- **FKM 25060 H** with 250cm

MECHANICAL DRIVE PTO

- **FKM 16560 M** with 150cm
- **FKM 19060 M** with 190cm
- **FKM 22560 M** with 225cm
- **FKM 25060 M** with 250cm

Front Mounted Sweeper:

- Inboard hydraulic motor with self adjusting duplex chain to brush
- Substantial steel folded frame construction
- Brush diameter 60cm
- 2 heavy duty support wheels 300x100cm with single lever height adjustment
- Angling left and right on 400mm bearing
- Multi function hydraulic valve block with flow control valve, relief valve, overrun protection and auto collector opening.
- Split side panel to allow easy access to change brush
- Integrated side accessories brackets (left and right)
- Paint RAL 2011 (Orange)
- Prepared for optional KM Control system
- Supplied with 2 section, 5 row Combi brush
- Requires ABR 60 Bracket to attach to tractor



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR 60 KD Bracket for Tractor front linkage with quick attach "A" frame | 795.00 |
| ABR 60 FRONT Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms | 795.00 |
| ABR 60 EURO- Bracket with floating Mount to suit loaders with EURO Style Quick Hitch | 1450.00 |
| ABR 60 TELE- Bracket with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch | 1450.00 |
| ABR 60 GS Bracket with Pallet tine pockets and floating mount for forklift trucks and loaders with pallet forks | 1150.00 |
| ABR 60 UNIMOG Front mounting for Unimog or other road vehicle over 7500Kg - DIN - en (DIN Plate) This linkage includes implement lift and lower device. (requires suitable hydraulic service) | 3250.00 |
| ABR 60 TELE-DP Bracket Combination with floating mount for Telescopic loader, tractor front loader, front loading shovel hitch and Bracket for Tractor front linkage with CAT 1 or CAT 2 link arms | 1995.00 |
| <i>Attachments (Requires ABR Bracket Above)</i> | |
| FKM 16560 H Front mounted Sweeper 165cm - Hydraulic Drive | 4450.00 |
| FKM 19060 H Front mounted Sweeper 190cm - Hydraulic Drive | 4750.00 |
| FKM 22560 H Front mounted Sweeper 225cm - Hydraulic Drive | 4995.00 |
| FKM 25060 H Front mounted Sweeper 250cm - Hydraulic Drive | 5350.00 |
| FKM 16560 M Front mounted Sweeper 165cm - Mechanical Drive PTO | 4450.00 |
| FKM 19060 M Front mounted Sweeper 190cm - Mechanical Drive PTO | 4750.00 |
| FKM 22560 M Front mounted Sweeper 225cm - Mechanical Drive PTO | 4995.00 |
| FKM 25060 M Front mounted Sweeper 250cm - Mechanical Drive PTO | 5350.00 |
| <i>Accessories</i> | |
| HSZ-180 KM 60 Hydraulic angling to left and right- Requires hydraulic service | 695.00 |
| EMV-KM 60 Electric remote control solenoid valves - Cab mounted control Only 1 double acting service required with detent, provides 2 hydraulic functions from one service, Functions: angling and sweeper drive | 695.00 |
| KM-CONTROL - Automatic brush height control system | 1595.00 |
| SSBF 16560 Collector box - 165cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying | 1395.00 |
| SSBF 19060 Collector box - 190cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying | 1450.00 |
| SSBF 16560 Collector box - 225cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying | 1550.00 |
| SSBF 25060 Collector box - 250cm - Fully floating, parallel system with gauge wheels - 250x85mm and hydraulic emptying | 1595.00 |
| AKL 22560 Front scraper bar - 225cm - with hydraulic lift and lower | 2695.00 |
| AKL 25060 Front scraper bar - 250cm - with hydraulic lift and lower | 2995.00 |
| ASH 7060 L Left Hand 70cm Gully Brush with variable speed, hydraulic drive, spring loaded collision protection on, storage position and keystone adjustment | 1395.00 |
| ASH 7060 R Right Hand 70cm Gully Brush with variable speed, hydraulic drive, spring loaded collision protection on, storage position and keystone adjustment | 1395.00 |
| BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width | 295.00 |
| WA-FLAG Side warning flags - to indicate sweeper width | 195.00 |
| WAS 100 KM 60 Water tank kit mounted on sweeper - 100litres c/w nozzle rail and 12v water pump | 1250.00 |
| WAS 200 KM 60 Water tank kit mounted on sweeper - 200litres c/w nozzle rail and 12v water pump | 1595.00 |

Front Mounted Sweepers KM 70 series for tractor with front linkage 80-250hp

Sweepers FKDR 37 series
page 6 16-26hp

Sweepers HKM 40 series
page 8 12-40hp

Sweepers KM 45 series
page 10 22-40hp

Sweepers KM 50 series
page 12 25-50hp

Sweepers KM 52 series
page 14 25-50hp

Sweepers KM 60 series
page 16 100-150hp

Sweepers FKM 60L series
page 18 50-70hp

Sweepers FKM 60 series
page 20 70-130hp

Front Mounted Sweepers KM 70 series for Tractors
page 22 80-250hp

HYDRAULIC DRIVE

(recommended flow rate is 20L/min.)

- **FKM 25070 H** with 250cm
- **FKM 30070 H** with 300cm



Front Mounted Sweeper:

- Hydraulic Drive
- Inboard hydraulic motor
- 6mm steel folded frame construction
- Brush diameter 70cm
- 2 heavy duty support wheels 300x100cm with single lever height adjustment
- Angling left and right on 400mm bearing
- Multi function hydraulic valve block with flow control valve, relief valve, overrun protection and auto collector opening.
- Split side panel to allow easy access to change brush
- Paint RAL 2011 (Orange)
- Prepared for optional KM Control system
- Supplied with 2 section, 5 row Combi brush
- Requires ABR Mounting Bracket



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages- Brackets</i> | |
| ABR 70 FRONT For tractor front linkage with either quick attach "A" frame or link arms | 1550.00 |
| ABR 70 TELE For telescopic loader, tractor front loader, front loading shovel hitch | 2100.00 |
| ABR 70 EURO For Euro style tractor Loaders | 1550.00 |
| ABR 70 GS Pallet tine pockets for forklift trucks and loaders with pallet forks | 1550.00 |
| ABR 70 UNIMOG For front mounting for Unimog or other road vehicle over 7500Kg - DIN - en (DIN Plate) This linkage includes implement lift and lower device. | 3250.00 |
| <i>Attachments (Requires ABR Bracket Above)</i> | |
| KM 25070 H Front mounted Sweeper 250cm - Hydraulic Drive | 7495.00 |
| KM 30070 H Front mounted Sweeper 300cm - Hydraulic Drive | 9250.00 |
| <i>Accessories</i> | |
| HSZ-450 Hydraulic angling to left and right - Requires - hydraulic service Double angling | 695.00 |
| EMV-KM70 Electric remote control solenoid valves - Cab mounted | 695.00 |
| KM CONTROL KM Control - Automatic brush height control system | 1595.00 |
| SPL 25070 Front brush guard - 250cm to control debris discharge for sweepers without collector. | 475.00 |
| SPL 30070 Front brush guard - 300cm to control debris discharge for sweepers without collector. | 495.00 |
| SSB 25070 Collector box - 250cm - Fully floating system with gauge wheels - 250x85mm and dual cylinder hydraulic emptying | 2650.00 |
| SSB 30070 Collector box - 300cm - Fully floating system with gauge wheels - 300x85mm and dual cylinder hydraulic emptying | 2950.00 |
| AKL 25070 Front scraper bar - 250cm - with hydraulic lift and lower | 3995.00 |
| AKL 30070 Front scraper bar - 300cm - with hydraulic lift and lower | 4495.00 |
| ASH 8570 L Left Hand 85cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and keystone adjustment | 1495.00 |
| ASH 8570 R Right Hand 85cm Gulley Brush with variable speed, hydraulic drive, spring loaded collision protection, storage position and keystone adjustment | 1495.00 |
| BG-LEUCHTEN Side marker lights - red and white lens -12v - to indicate sweeper width | 295.00 |
| WA-FLAG Side warning flags - to indicate sweeper width | 195.00 |
| WAS 200 KM 70 Water tank kit mounted on sweeper - 200litres c/w nozzle rail and 12v/24v submersible water pump | 1595.00 |



... Or a Kersten WeedBrush?

When moss and weeds become established on hard surfaces they are difficult to remove with a sweeper. For this application we have made the Weedbrush.

Kersten WeedBrushes have been designed to quickly remove weeds and moss, along with the soil they grow in from hard surfaces like tarmac and block paving. We achieve this with several features not typically found on other Weedbrushes.

VersaBrush – The WeedBrush is fitted with VersaBrushes. These brush sections are composed of two wire types. Thick flat wires are used to cut the weeds and soil from the surface and removes the material; like using many tiny shovels. Thinner wire then sweeps the surface clean. The more soil that we can remove the longer the surface will remain free of weeds.

Angling – The WeedBrush can be angled in all directions for getting into cracks and crevices'. Using the brush on an angle allows it to penetrate the joints in surfaces such as block paving and cope with cambers.

Pressure – Brush height and pressure is controlled by an adjustable castor wheel placed close to the brush and a weight on top. This allows the pressure to be adjusted to suit the application, achieving a perfect combination of cleaning performance and brush life.



Stone guard – To reduce stone throwing, our WeedBrushes rotate at very low speeds of between 180 – 400 rpm. Because of the high torque, we are still able to achieve a great finish, but the lower speed gives much less energy to stones and other debris so they are not turned into dangerous projectiles. A protective guard also helps to keep material close to the brush, so the arisings are easy to clean up after WeedBrushing. The slow rotation speed has the added benefit of creating less vibration.

Just add water.... – By adding water the WeedBrush is able to scrub dirt and algae from surfaces such as sandstone and other paving.



Front Mounted WeedBrush FKDR series for Ride on Mower

Front Mounted WeedBrush FKDR series
page 26

WeedBrush UB 6080 series
page 28 - 30-60hp

WeedBrush UB EASY series
page 30 - 45hp+

(FKDR/HYDR Front linkage kit required
see page 4-5)

• **WKB-H-FKDR**

FKDR-HYDR Front Linage
Kits are available for:

Kubota GR1600, GR1600-11
GR2100, GR2120, GR2120 S

John Deere X300 series,
X500 series

Iseki SXG216



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|--------------------------------------------------------------------------------------------------------|-----------------------------|
| <i>Brackets and Linkages - Linkage</i> FKDR/HYDR Front Linkage Kit - See Page 4-5 | 2150.00 |
| <i>Attachments</i> WKB-H-FKDR WeedBrush 40 cm working width | 2250.00 |
| <i>Consumables</i> 700 000 135 Standard Steel Versabrush each 700 000 135N Nylon Versabrush each | 9.95 10.50 |



Professional WeedBrush UB 6080 series for Tractors and Front Mower 30 - 60HP

WeedBrush FKDR series
page 26

Front Mounted WeedBrush UB 6080 series
page 28 - 30-60hp

WeedBrush UB EASY series
page 30 - 45hp+

HYDRAULIC DRIVE

• UB 6080 H

At least 25 L/min circulating oil

MECHANICAL DRIVE PTO

• UB 6080 MH

At least 25 L/min circulating oil



Front Mounted WeedBrush:

- Without Brush plate
- Suitable for 60, 80 and 90 cm Brush plate
- Adjustable swivel range
- 3 levels adjustable 0/20/40 degrees
- 2 mechanically adjustable levels
- Plate adjustment back and forth hydraulic
- Height adjustable support wheel
- Side guard
- Requires ABR Mounting Bracket



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|---------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Linkage</i> | |
| ABR UB DP - Tractor front linkage with CAT 1 OR CAT 2 link arms. | 625.00 |
| ABR UB KD - Tractor front linkage with CAT 0 OR CAT 1 A-Frame connection. | 625.00 |
| ABR UB FM - Front Mower connection. | 625.00 |
| <i>Attachments</i> | |
| UB 6080 H-ABR For 60/80/90cm Brush plate | 6250.00 |
| UB 6080 MH-ABR For 60/80/90cm Brush plate | 6595.00 |
| <i>Accessories</i> | |
| BT 060 FL Brush plate 60cm tufts made of flat / corrugated wire | 675.00 |
| BT 080 FL Brush plate 80cm tufts made of flat / corrugated wire | 925.00 |
| BT 080 DS-KU Brush plate 80cm plastic coated wire ropes braids | 950.00 |
| KANTENSCHN Edging disk to cut turf away cleanly from edge | 950.00 |
| ST-UB-JS Control unit with Joystick | 1995.00 |
| ST-UB-RC Control unit with RC | 2295.00 |
| HSZ 180 UB Hydraulic angling | 495.00 |
| <i>Consumables</i> | |
| 700 000 135 Standard Steel Versabrush each | 9.95 |
| 700 000 135N Nylon Versabrush each | 10.50 |



Front Mounted WeedBrush for Tractor

Professional WeedBrushUB Easy series for Tractor and Front Loaders 45HP+

WeedBrush FKDR series
page 26

WeedBrush UB 6080 series
page 28 - 30-60hp

Mounted WeedBrush UB EASY series
page 30 - 45hp+

HYDRAULIC DRIVE

- **UB EASY PAK FL** with 80cm
At least 25 L/min circulating oil
- **UB EASY VB** with 85cm (vertical brush)
At least 25 L/min circulating oil
- **UB EASY PAK DS** with 80cm
At least 25 L/min circulating oil



Front Mounted WeedBrush:

- Hydraulic Drive
- Brush plate Ø 80 cm with tufts
- Plate mechanically adjustable in angle
- lateral protection device
- Requires ABR Mounting Bracket



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Linkage</i> | |
| ABR UB DP Tractor front linkage with CAT 1 or CAT 2 link arms. | 650.00 |
| ABR UB KD Tractor front linkage with CAT 1 A-Frame connection. | 650.00 |
| ABR UB LA Front Loader connection. | 650.00 |
| <i>Attachments</i> | |
| UB EASY PAK FL Hydraulically drive 80cm weed disc with 24 brush sections Mechanical adjusting working angle Adjustable support wheel flow control valve Debris guard included | 2995.00 |
| UB EASY PAK VB width 85cm (verical brush) | 3795.00 |
| UB EASY PAK DS width 80cm | 2995.00 |
| <i>Accessories</i> | |
| MP-BK-UB-EASY Replaceable head with vertical brushes for path edging | 1550.00 |
| MP-MR-UB-EASY Flow control valve for stepless speed adjustment | 250.00 |
| LR-UB-EASY Support wheel for fine height adjustment | 350.00 |
| HSZ-180-UB Hydraulic angling for UB easy | 495.00 |
| <i>Consumables</i> | |
| 700 000 135 Standard Steel Versabrush each | 9.95 |
| 700 000 135N Nylon Versabrush each | 10.50 |



Front Mounted low noise leaf blower for Ride on Mower

Blower for Ride-on Mower
page 32

(FKDR/HYDR Front linkage kit required
see page 4-5)

- **LBV-HO-FKDR**


Powered by Honda Engine

FKDR-Hydr Front Linage
Kits are available for:

Kubota GR1600, GR1600-11
GR2100, GR2120, GR2120 S

John Deere X300 series,
X500 series

Iseki SXG216



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Linkage</i> FKDR/HYDR Front Linkage Kit - See Page 4-5 | 2150.00 |
| <i>Attachments</i> LBV-HO-FKDR Leaf blower <ul style="list-style-type: none"> • 9,6 kW (13 PS) Honda Engine • with Automatic oil cut-off • noise emission turbine • Aluminum impeller • Turbine housing PE plastic • Discharge direction right • Blowout reach about 8 Meter • 2 swiveling ball-bearing Wheels 180x85 mm • Parking supports for storage | 2650.00 |



Professional Mounted Leaf Blowers for compact tractors and up-front mowers

Leaf Blower for tractors
page 34

EXEMPLES TRACTOR:

Kubota
John Deere
Shibaura
Grillo
Viking
Iseki
Tym
LS
Kioti
New Holland

HYDRAULIC DRIVE

- **LBV 5100 H** with 85m³/min output
- **LBV 6900 H** with 115m³/min output

MECHANICAL DRIVE PTO

- **LBV 5100 M** with 85m³/min output
- **LBV 6900 M** with 115m³/min output



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|---------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR LBV DP Bracket for Tractor CAT 1 or CAT 2 linkage with link arms. | 650.00 |
| ABR LBV KD Bracket for Tractor front linkage with CAT 1 or CAT 0 A-Frame connection. | 650.00 |
| ABR LBV FM Bracket for out front mower front linkage with lift arms. | 750.00 |
| <i>Attachments (ABR Bracket Required)</i> | |
| LBV 5100 H Hydraulic Leaf Blower as above with 60m ³ /min output | 3295.00 |
| LBV 5100 M Mechanical Leaf Blower as above with 60m ³ /min output | 3650.00 |
| LBV 6900 H Hydraulic Leaf Blower as above with 80m ³ /min output | 3695.00 |
| LBV 6900 M Mechanical Leaf Blower as above with 80m ³ /min output | 3850.00 |
| <i>Accessories</i> | |
| LBV-HUT-HD 5100 Hydraulic angling 360 degree rotational outlet chute | 795.00 |
| LBV-HUT-HD 6900 Hydraulic angling 360 degree rotational outlet chute | 995.00 |
| LBV-HUT-HD 5100 E Electric angling 360 degree rotational outlet chute | 1100.00 |
| LBV-HUT-HD 6900 E Electric angling 360 degree rotational outlet chute | 1250.00 |
| MP-LR-LBV Third support wheel to protect outlet chute | 350.00 |



Tractor Mounted Gravel Path Renovator for removing weeds and moss from gravel surfaces

Gravel Path Renovators - WE series
page 36

MECHANICAL DRIVE PTO

for Tractor 20 - 50HP

• WE 110 M-DP

Gravel Path Renovator 110cm working width

• WE 150 M-DP

Gravel Path Renovator 150cm working width

Gravel Path Renocators:

- Without Brush plate
- Mechanically via PTO
- For weed removal on water-bound surfaces
- Vibration-free work by opposing Tools
- Height-adjustable sides
- Low-maintenance oil bath gearbox
- Breakaway device
- incl. PTO
- max. PTO input speed 1000 U / min
- suitable for rear mounted KAT 1N or KAT 1
- Requires ABR Mounting Bracket



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|---------------------------------------------------------------------------------------|-----------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR WE DP Bracket for tractor rear linkage with CAT 1 or CAT 2 link arms. | INCLUDED |
| <i>Attachments (requires one set of tools from accessories below)</i> | |
| WE 110 M-DP Gravel Path Renovator 110cm working width | 6350.00 |
| WE 150 M-DP Gravel Path Renovator 150cm working width | 7495.00 |
| <i>Accessories</i> | |
| WM-SATZ 110 Angled Knife set for loose gravel surfaces for 110 | 425.00 |
| WM-SATZ 150 Angled Knife set for loose gravel surfaces for 150 | 565.00 |
| MEISSEL-SATZ 110 Chiseled set with carbide tips for crushed stone surfaces 110 | 895.00 |
| MEISSEL-SATZ 150 Chiseled set with carbide tips for crushed stone surfaces 150 | 1250.00 |
| BUES-SATZ 110 Thick weedbrush sections for tarmac sub base 110 | 795.00 |
| BUES-SATZ 150 Thick weedbrush sections for tarmac sub base 150 | 995.00 |



Rear Mounted Hydraulic Rotary Gritter/Spreader for Ride on Mower

Mounted Spreader - FKDR SLDST
page 38

(FKDR/HYDR Front linkage kit required
see page 4-5)


- **SLDST 70 H-FKDR** Spreader 70 Liter

FKDR-Hydr Front Linage
Kits are available for:

Kubota GR1600, GR1600-11
GR2100, GR2120, GR2120 S

John Deere X300 series,
X500 series

Iseki SXG216



FKDR-HYDR



Extension



Attachment



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| <p><i>Brackets and Linkages - Linkage</i></p> <p>FKDR-HYDR-... Front Linkage Kit - See Page 4-5</p> <p>AK-SLDST-H-... Extension console rear attachment for Riding Mower</p> | <p>2150.00</p> <p>295.00</p> |
| <p><i>Attachments</i></p> <p>SLDST 70 H-FKDR</p> <p>Rear Mounted Hydraulic Rotary Gritter/Spreader 70litre</p> <ul style="list-style-type: none"> • for Spreading salt, sand, grit • hydraulically driven via FKDR-HYDR Front linkage system • Spreading quantity regulation • Spreading widths from 0.5 to 4.0 m adjustable • Damp material agitator • Stainless steel hopper <p>AK-SLDST-H-... Extension console required</p> | <p>2195.00</p> |
| <p><i>Accessories</i></p> <p>ADP-SLDST Hopper cover for spreader</p> | <p>195.00</p> |



Front Mounted Snow Plough complete with linkage for Ride-on mower

Snow Plough for Ride-on Mower
page 40

Front SCHN 12545 FK-PAK Mech


125cm working width

-
-
-
-
-
-

and angling of the snow blade

- including all mounting hardware for mounting to Ride-on Mowers

- **SCHN 12545 FK-PAK Mech JOH**
Snow blade and linkage kit complete for John Deere X300 and X540
- **SCHN 12545 FK-PAK Mech KUB**
Snow blade and linkage kit complete for Kubota GR series
- **SCHN 12545 FK-PAK Mech ISS**
Snow blade and linkage kit complete for Iseki SXG216



Pricelist 2019

PART No. / DESCRIPTION

PRICE

Attachments

SCHN 12545 FK-PAK Mech JOH

Suitable for John Deere X300/540
Snow blade and linkage kit complete
125 cm working width

- 45 cm high
- spring back blade protection
- 2 adjustable springs
- adjustable ground skids
- adjustable Urethane Scraper
- incl. front mechanical lifting and angling of the snow blade
- including all mountings

1295.00

SCHN 12545 FK-PAK Mech KUB as above

Suitable for Kubota GR-Serie - Snow blade 125cm working width

1295.00

SCHN 12545 FK-PAK Mech ISS as above

Suitable for Iseki SXG216 - Snow blade 125cm working width

1295.00



Front Mounted Snow Plough for Ride-on Mower

Mounted Snow Ploughs - FKDR series
p. 42

(FKDR/HYDR Front linkage kit required
see page 4-5)

- **SCHN 11045 FK-FKDR** Snow blade 110cm
- **SCHN 12045 FK-FKDR** Snow blade 125cm


FKDR-Hydr Front Linage
Kits are available for:

Kubota GR1600, GR1600-11
GR2100, GR2120, GR2120 S

John Deere X300 series,
X500 series

Iseki SXG216

All snow ploughs feature



FKDR-HYDR

Attachment



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| <p><i>Brackets and Linkages - Linkage</i> FKDR-HYDR-... Front Linkage Kit - See Page 4-5</p> | 2150.00 |
| <p><i>Attachments</i> SCHN 11045 FK-FKDR Snow blade 110 cm working width • 45 cm high • spring break back protection system • 2 retracting springs • adjustable Ground skids • adjustable Urethane cutting edge • suitable for mounting on the FKDR front coupling triangle</p> <p>SCHN 12545 FK-FKDR Snow blade 125cm working width • 45 cm high • spring break back protection system • 2 retracting springs • adjustable Ground skids • adjustable Urethane cutting edge • suitable for mounting on the FKDR front coupling triangle</p> | 650.00 750.00 |




Mounted Snow Ploughs

Mounted Snow Plough for sub compact tractors, compact tractors and front mowers 12-60hp fitted with front linkage

Mounted Snow Ploughs - SCHN 60 series
p. 44


Requires a front linkage

- **SCHN 13545 FK-ABR**
Mounted Snow plough 135cm Width x 45 cm high
- **SCHN 14060 FK-ABR**
Mounted Snow plough 140cm Width x 60cm
- **SCHN 15060 FK-ABR**
Mounted Snow plough 150cm Width x 60cm
- **SCHN 16060 FK-ABR**
Mounted Snow plough 160cm Width x 60cm
- **SCHN 18060 FK-ABR**
Mounted Snow plough 180cm Width x 60cm
- **SCHN 20060 FK-ABR**
Mounted Snow plough 200cm Width x 60cm



Pricelist 2019



| PART No. / DESCRIPTION | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR SCHN US Bracket for fitting to John Deere Quick-hitch linkage. | 350.00 |
| ABR SHN KUB B1220 Bracket for fitting to Kubota B1220 Kersten Linkage. | 350.00 |
| ABR SCHN KUB G2326 Bracket for fitting to Kubota G23/G26 Kersten Linkage. | 350.00 |
| ABR SCHN KD Bracket for fitting to Front A Frame Linkage CAT 0 or CAT 1. | 495.00 |
| ABR SCHN DP Bracket for fitting to rear 3 point linkage CAT 1 or CAT 2. | 495.00 |
| ABR SCHN FM Bracket for fitting to front Mowers. | 695.00 |
| <i>Attachments</i> | |
| SCHN 13545 FK-ABR (Without ABR Bracket) Snow blade 135 cm working width Mounting frame ABR-SCHN required Blade height 45 cm • spring break back protection system • Hydraulic or Manual angling device. - (please specify) • adjustable ground skids ② Mounting frame ABR-SCHN required (see above) | 1295.00 |
| SCHN 14060 FK-ABR (Without ABR Bracket) Snow blade 140 cm working width Blade height 60 cm as above | 1850.00 |
| SCHN 15060 FK-ABR (Without ABR Bracket) Snow blade 150 cm working width Blade height 60 cm as above | 1995.00 |
| SCHN 16060 FK-ABR (Without ABR Bracket) Snow blade 160 cm working width Blade height 60 cm as above | 2150.00 |
| SCHN 18060 FK-ABR (Without ABR Bracket) Snow blade 180 cm working width Blade height 60 cm as above | 2495.00 |
| SCHN 20060 FK-ABR (Without ABR Bracket) Snow blade 200 cm working width Blade height 60 cm as above | 2795.00 |
| <i>Accessories</i> | |
| RD-SCHN-G Castor wheels for supporting the plough blade ① | 250.00 |
| BG-LEUCHTEN Red and white marker lights for the edge of the plough | 295.00 |
| WA-FLAG Flags to mark the edge of the plough | 225.00 |



HOAF ThermHIT Infra-red weed burners for Tractor 15-45HP

Hoaf ThermHIT series
p. 46

- **TWB 075 FD** Mounted burner-
- **TWB 100 ABR** Mounted burner-
- **TWB 125 ABR** Mounted burner-



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|---------------------------------------------------------------------------------------------|------------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR-TWB-FKDR Mounting frame Coupling triangle Kersten. | 625.00 |
| ABR-TWB-KD-... Mounting frame Coupling triangle attachment. | 625.00 |
| ABR-TWB-DP-... Mounting frame Coupling triangle attachment Kat I and II. | 625.00 |
| ABR-TWB-FM-... Mounting frame Coupling Mowers. | 695.00 |
| ABR-TWB-TELE-... Mounting frame Telescopic Forklift. | 1595.00 |
| <i>Attachments</i> | |
| TWB 075 FD Mounted burner - | 4995.00 |
| TWB 100 ABR Mounted burner - | 7995.00 |
| TWB 125 ABR Mounted burner - | 15,395.00 |
| <i>Accessories</i> | |
| HSV-TWB Hydraulic side adjustment for Thermhit | 2395.00 |
| HFTH 015 Thermal Lance | 695.00 |
| TWB GT 120 LPG Gas-Tank 2 x 85 Liters in coupling triangle with lighting and warning signs | 5995.00 |
| TWB GT 240 LPG Gas-Tank 2 x 120 Liters in coupling triangle with lighting and warning signs | 7195.00 |



HOAF WeedAir - Hot Air Weed Burner for Tractor 15-70HP

Hoaf Hot Air Weed Burners
p. 48

- **HFWA 075 M** Mounted burner-
- **HFWA 100 M** Mounted burner-
- **HFWA 150 M** Mounted burner-



Pricelist 2019

| PART No. / DESCRIPTION | PRICE |
|----------------------------------------------------------------------------------------------------|------------------|
| <i>Brackets and Linkages - Brackets</i> | |
| ABR-TWB-FKDR Mounting frame Coupling triangle Kersten. | 625.00 |
| ABR-TWB-KD-... Mounting frame Coupling triangle attachment. | 625.00 |
| ABR-TWB-DP-... Mounting frame Coupling triangle attachment Kat I and II. | 625.00 |
| ABR-TWB-FM-... Mounting frame Coupling Mowers. | 695.00 |
| ABR-TWB-TELE-... Mounting frame Telescopic Forklift. | 1595.00 |
| <i>Attachments</i> | |
| HFWA 075 M Mounted burner - | 10,895.00 |
| HFWA 100 M Mounted burner - | 24,995.00 |
| HFWA 150 M Mounted burner - | 29,995.00 |
| <i>Accessories</i> | |
| HSV-TWB WS Hydraulic side adjustment for Weedair | 2995.00 |
| HFTH 015 Thermal Lance | 695.00 |
| TWB GT 120 LPG Gas-Tank 2 x 85 Liters in coupling triangle with lighting and warning signs | 5995.00 |
| TWB GT 240 LPG Gas-Tank 2 x 120 Liters in coupling triangle with lighting and warning signs | 7195.00 |





T: 0118 986 9253

www.kerstenuk.com
info@kerstenuk.com

Your Kersten stockist